


H HEURISTICS

RESEARCH REPORT · OCTOBER 2026

The Mathematical Architecture of Reality

Numbers, Geometry, Symmetry, Dynamics and the
Question of Why Mathematics Describes the World

Numbers · Geometry · Symmetry · Dynamics · Scaling · Probability · Interpretation



Hunter Hughes

H Heuristics · Architecture of Creation series

Contents

About This Report.....	7
How to read this report.....	7
Evidence grades.....	9
A note on the figures and calculations.....	9
How to cite.....	9
Executive Summary.....	10
Abstract.....	10
The question.....	10
The thesis.....	10
Principal findings.....	11
The verdict.....	12
1. Introduction.....	13
1.1 An equation that knew where to look.....	13
1.2 The central question.....	13
1.3 The Mathematical Architecture Hypothesis.....	14
1.4 Five kinds of mathematical claim.....	14
1.5 What would count as an answer.....	15
1.6 Method and scope.....	16
2. Literature Review: Why Mathematics Works.....	17
2.1 Number as the nature of things.....	17
2.2 Wigner's puzzle.....	17
2.3 Hamming's four explanations.....	18
2.4 Mathematics ahead of observation.....	18
2.5 The philosophy of mathematics.....	20
2.6 Structural realism.....	21
2.7 Mathematics and the mind.....	21
2.8 The mathematical universe.....	21
2.9 What the literature establishes.....	22
3. The Theoretical Framework.....	23
3.1 Seven layers of mathematical reality.....	23
3.2 The central connections.....	25
3.3 Four reasons mathematics might succeed.....	26
3.4 A formal statement.....	27
3.5 Relation to the series framework.....	27
3.6 What the framework claims and does not claim.....	28
4. Layer I: Numbers and Fundamental Relationships.....	29
4.1 The question.....	29
4.2 From measurement to law.....	29
4.3 The fundamental constants.....	30
4.4 Integers, primes and the structure of number.....	31
4.5 The numerology trap.....	32
4.6 What numbers explain.....	33
5. Layer II: Geometry and the Structure of Space.....	34
5.1 The question.....	34
5.2 From Euclid to curved spacetime.....	34
5.3 Testing geometric gravity.....	35
5.4 Why three dimensions?.....	36
5.5 Topology: geometry without distance.....	36
5.6 What geometry explains.....	37
6. Layer III: Symmetry and Conservation.....	38
6.1 The question.....	38
6.2 The mathematics of sameness.....	38

6.3 Noether's theorem.....	38
6.4 Symmetry as a guide to new physics.....	39
6.5 Broken symmetry and the origin of structure.....	40
6.6 Why symmetry is central.....	41
7. Layer IV: Equations and Dynamical Systems.....	42
7.1 The question.....	42
7.2 The language of change.....	42
7.3 Nonlinearity and chaos.....	43
7.4 The limits of prediction.....	44
7.5 Simple rules, complex outcomes.....	45
7.6 Chaos or noise?.....	45
7.7 What dynamics explains.....	46
8. Layer V: Scaling, Fractals and Recurring Patterns.....	47
8.1 The question.....	47
8.2 Power laws and scale invariance.....	47
8.3 Universality and the renormalization group.....	47
8.4 Fractals.....	49
8.5 Scaling in living systems and cities.....	49
8.6 When is a power law real?.....	50
8.7 The golden ratio and the golden angle.....	51
8.8 What scaling explains.....	53
9. Layer VI: Probability, Information and Emergence.....	54
9.1 The question.....	54
9.2 Laws from chance.....	54
9.3 Statistical mechanics: order from counting.....	55
9.4 Information as a physical quantity.....	56
9.5 Probability at the foundation.....	57
9.6 Networks and collective behavior.....	57
9.7 What probability explains.....	58
10. Layer VII: Why Mathematics Describes Reality.....	59
10.1 The question.....	59
10.2 Mathematics as a descriptive language.....	60
10.3 Mathematics as a discovery of structure.....	61
10.4 Mathematics as the foundation of reality.....	61
10.5 Explaining the effectiveness.....	62
10.6 The unreasonable ineffectiveness.....	63
10.7 Undecidability in physics.....	63
10.8 Assessment.....	64
11. Testing the Mathematical Architecture Hypothesis.....	65
11.1 Three tests.....	65
11.2 Test 1: compression.....	65
11.3 Test 2: transfer across domains.....	67
11.4 Test 3: discrimination.....	68
11.5 What the tests show.....	69
11.6 What would weaken the hypothesis.....	70
12. Hypotheses and Research Agenda.....	71
12.1 Ten testable hypotheses.....	71
12.2 A research agenda.....	73
13. The Limits of Mathematical Modeling.....	74
13.1 The model and the world.....	74
13.2 Fitting is not explaining.....	74
13.3 Approximation and effective theories.....	75
13.4 Mathematics that is not finished.....	76
13.5 The empirical boundary.....	76
14. Implications.....	77
14.1 For the Architecture of Creation series.....	77
14.2 For science.....	78
14.3 Ten heuristics for using mathematics to understand reality.....	78
15. Conclusion: Language, Structure or Foundation?.....	79

15.1 The answer to the central question.....79

15.2 What a defensible mathematical architecture of creation establishes.....80

15.3 What remains unresolved.....81

15.4 How this informs the series.....81

15.5 Closing.....82

References.....83

List of Figures

Figure 1. The structure of the report.....	8
Figure 2. A ladder of mathematical claims.....	15
Figure 3. Mathematics often arrives first.....	20
Figure 4. The seven layers of mathematical reality.....	24
Figure 5. One constant predicts the hydrogen spectrum.....	30
Figure 6. Numerical coincidence is cheap.....	32
Figure 7. Geometry in every pocket.....	36
Figure 8. Noether's theorem: every continuous symmetry of the laws implies a conserved quantity.....	39
Figure 9. Symmetry predicts a particle.....	40
Figure 10. One line of algebra, order to chaos.....	43
Figure 11. Deterministic, yet unpredictable.....	44
Figure 12. Eight-bit rules, outputs of every kind.....	45
Figure 13. Different systems, shared exponents.....	48
Figure 14. Measuring a fractional dimension.....	49
Figure 15. A straight line on a log-log plot is weak evidence.....	51
Figure 16. The golden angle in plants.....	52
Figure 17. Why the bell curve is everywhere.....	55
Figure 18. Equal shares become unequal by chance alone.....	56
Figure 19. Three positions on why mathematics describes reality, ordered by the strength of their claim about what reality is.....	60
Figure 20. Compression and its refinement.....	66
Figure 21. One equation, three systems.....	68
Figure 22. Separating unification from resemblance.....	69
Figure 23. Any shape, given enough circles.....	75
Figure 24. Where the evidence points.....	80

List of Tables

Table 1. Evidence grades used in this report.....	9
Table 2. Phenomena predicted mathematically before they were observed.....	19
Table 3. The central connections between mathematical principles and physical reality.....	26
Table 4. Some dimensionless numbers that characterize the physical world.....	31
Table 5. Predictions of geometric gravity and their tests.....	35
Table 6. Exact, approximate and broken symmetries in physics.....	41
Table 7. Some equations that govern the physical world.....	42
Table 8. The status of some claimed scaling laws and recurring patterns.....	53
Table 9. Probability and information: core results and their physical status.....	57
Table 10. Three positions on why mathematics describes reality, compared.....	62
Table 11. Candidate explanations for the effectiveness of mathematics, and what each predicts.....	62
Table 12. Compression and out-of-sample prediction in the report's calculations.....	67
Table 13. Ten testable hypotheses about the mathematical architecture of reality.....	72
Table 14. Limits on mathematical description of the world.....	74

Table 15. Implications for the reports of the Architecture of Creation series.....77

Table 16. What is established, what is supported and what remains open.....81

About This Report

This report asks why mathematics describes the natural world so effectively, and what that effectiveness reveals about the structure of reality. It belongs to the H Heuristics [Architecture of Creation](#) series. The foundational report argued that reality produces recurring forms because matter, energy, information and development operate within a constrained set of mathematical relationships and physical laws. It described how constraints define a space of viable forms, generative processes explore that space, and filters decide what persists. Later reports applied that model to the cosmos in [The Architecture of Creation in the Universe](#), to biology in [The Architecture of Life](#), to a coupled planet in [The Architecture of Earth](#), to thermodynamics in [The Architecture of Entropy](#) and to human societies in [The Architecture of Civilization](#). [A Unified Architecture of Reality](#) compared all of these domains.

Every one of those reports relied on mathematics: power laws, conservation laws, differential equations, networks, probability distributions and scaling relations. None of them asked why that reliance was justified. This report does. It examines the question that sits underneath the entire series: is mathematics merely a language humans use to describe reality, or does its success reveal something deeper about how reality is built?

The report does not presuppose an answer. It connects established mathematical physics with open philosophical questions and keeps the two apart. It is written for researchers, students and general readers who have wondered why an equation written on paper can predict where a planet will be in a century, or why the same curve describes the spread of a rumor, an epidemic and the connectivity of a random network. Each major claim carries an evidence grade. Analogies are labeled as analogies, philosophical positions are labeled as positions, and the report's own propositions are labeled as hypotheses.

How to read this report

Each section starts on a new page and can be read on its own. The report has four parts (Figure 1). Sections 1 to 3 set out the question, review what philosophers, physicists and mathematicians have said about it, and state a framework of seven layers through which mathematics meets the world. Sections 4 to 10 work through those layers one at a time: numbers, geometry, symmetry, dynamics, scaling, probability and, finally, the philosophical question of why any of it works. Sections 11 to 13 test the report's central hypothesis with original calculations, state ten testable propositions and examine the limits of mathematical modeling. Sections 14 and 15 draw out implications for the rest of the series and give the report's verdict.

FOUNDATIONS

**1. Introduction**

The question, the hypothesis and five kinds of mathematical claim

Section 1

**2. Literature Review**

From Pythagoras and Galileo to Wigner, Hamming and Tegmark

Section 2

**3. The Theoretical Framework**

Seven layers, a ladder of claims and a formal statement

Section 3

THE SEVEN LAYERS

**4. Layer I: Numbers and Fundamental Relationships**

Constants, integers, primes and the numerology trap

Section 4

**5. Layer II: Geometry and the Structure of Space**

Curvature, dimension, topology and gravitation

Section 5

**6. Layer III: Symmetry and Conservation**

Noether's theorem, groups and predicted particles

Section 6

**7. Layer IV: Equations and Dynamical Systems**

Differential equations, chaos and simple rules

Section 7

**8. Layer V: Scaling, Fractals and Recurring Patterns**

Power laws, universality and the golden angle

Section 8

**9. Layer VI: Probability, Information and Emergence**

Statistical mechanics, information and networks

Section 9

**10. Layer VII: Why Mathematics Describes Reality**

Realism, formalism, structural realism and the MUH

Section 10

TESTS AND EVALUATION

**11. Testing the Hypothesis**

Compression, cross-domain prediction and a scorecard

Section 11

**12. Hypotheses and Research Agenda**

Ten testable propositions

Section 12

**13. The Limits of Mathematical Modeling**

Approximation, chaos, undecidability and overfitting

Section 13

IMPLICATIONS AND VERDICT

**14. Implications**

For the series, for science and for H Heuristics

Section 14

**15. Conclusion**

Language, structure or foundation?

Section 15

Figure 1. The structure of the report. Three foundational sections establish the question and the framework, seven sections examine the layers of mathematical description, three test and bound the central hypothesis, and two draw conclusions.

Source: *H Heuristics*.

Blue underlined text is a hyperlink. Where a specific result is cited, links go to the DOI record of the primary literature. Where a concept is introduced, links go to a reference article, usually the [Stanford Encyclopedia of Philosophy](#) for philosophical positions and Wikipedia for mathematical and physical concepts. Where a measured value is quoted, links go to the data provider, such as the [NIST CODATA](#) values of the fundamental constants. Every DOI was checked against its registered title before publication. A full reference list follows Section 15.

Evidence grades

Claims are graded on the same four-level scale used throughout the series.

Table 1. Evidence grades used in this report

Grade	Meaning	Example from this report
A: Established	Proven mathematically, or confirmed repeatedly by independent measurements to high precision.	Continuous symmetries of a system's laws imply conserved quantities (Noether's theorem)
B: Well supported	Strong evidence from several lines of work, with unresolved detail or some dissent.	Critical phenomena in very different materials fall into a small number of universality classes
C: Plausible or contested	A credible argument and partial evidence; specialists actively disagree.	Animal metabolism scales with body mass to the $3/4$ power because of the geometry of branching networks
D: Speculative	A hypothesis or philosophical position offered for evaluation, labeled as such wherever it appears.	Physical reality is, at bottom, a mathematical structure

The grade describes the state of knowledge, not the importance of a claim. For philosophical positions, a grade describes how well the position is supported by argument and by its fit with scientific practice. It is not a measurement, and no position in Section 10 is graded A.

A note on the figures and calculations

The report contains 24 figures and 16 tables. Seventeen figures present calculations made for this report. They show how small formulas can match arbitrary numbers, and how one constant predicts the hydrogen spectrum. They compute the relativistic clock corrections behind GPS and the symmetry prediction of the Omega-minus particle. They cover period doubling and the Feigenbaum constant; sensitive dependence in the Lorenz system; the compressibility of all 256 elementary cellular automata; a phase transition in the Ising model; fractal dimension; the testing of power laws; and leaf packing at the golden angle. They also cover the central limit theorem; the emergence of the Boltzmann–Gibbs distribution from random exchange; Kepler's third law across nine bodies; one equation shared by networks, epidemics and family lines; Fourier epicycles; and the historical lag between mathematical invention and physical application. Each caption says what was computed and with what assumptions. The other figures are diagrams drawn for this report. The code was written in Python and every number quoted from it in the text can be regenerated.

How to cite

Hughes, H. (2026). *The Mathematical Architecture of Reality: Numbers, Geometry, Symmetry, Dynamics and the Question of Why Mathematics Describes the World*. H Heuristics Research Report, Architecture of Creation series. The report synthesizes published research and presents original calculations and propositions, which are labeled as such.

Executive Summary

Abstract

Mathematics describes the physical world with a precision that has no parallel in human knowledge. A theory written in the 1940s predicts the magnetic moment of the electron to about one part in a trillion. Equations Einstein wrote in 1915 are corrected for in every GPS receiver on Earth. A symmetry argument written on a blackboard in 1962 predicted the mass of a particle no one had seen to within 1 per cent. This report examines why. It organizes the meeting of mathematics and reality into seven layers: numbers and fundamental relationships; geometry and the structure of space; symmetry and conservation; equations and dynamical systems; scaling, fractals and recurring patterns; probability, information and emergence; and the philosophical question of why mathematics describes reality at all. It distinguishes five kinds of mathematical claim, from exact identities to superficial analogies, because much confusion about mathematics and nature comes from treating them as equivalent. It evaluates three major positions: mathematics as a descriptive language, as a discovery of objective structure, and as the foundation of reality itself. It proposes and tests a Mathematical Architecture Hypothesis using seventeen original calculations. The report concludes that the evidence best supports the middle position. Mathematics is a human practice, but its most successful structures capture objective features of the world, above all symmetries, invariants and the ways that many interacting parts produce collective behavior. The stronger claim that reality *is* mathematics remains a philosophical proposal, not a scientific result.

The question

The defining question is whether mathematics is merely a language humans use to describe reality, or whether its effectiveness reveals something deeper about the structure of reality itself. In 1960 the physicist Eugene Wigner called the success of mathematics in physics [unreasonable](#) and a gift that we neither understand nor deserve. Sixty-six years later the puzzle remains. Mathematical structures invented for their own sake, such as complex numbers, curved geometries and abstract groups, have repeatedly turned out to describe physical phenomena discovered decades or centuries later. The report asks why, and what kind of evidence could settle the matter.

The defining question. Is mathematics merely a language humans use to describe reality, or does the effectiveness of mathematics reveal something deeper about the structure of reality itself?

The thesis

The report's thesis is that mathematics succeeds for several different reasons, and that separating them dissolves much of the mystery while leaving a real residue. Part of the success is selection: scientists choose problems that mathematics can handle and choose mathematics that fits their problems. Part is compression: the regularities of nature are compressible, and mathematics is the most powerful compression scheme humans have built. Part is universality: when many parts interact, the collective behavior often depends on only a few structural features, so very different systems obey the same equations. The residue is that the deepest structures, such as symmetry, curvature and the rules of probability, keep surviving the replacement of one physical theory by another. That survival is best explained if they capture something real.

Central hypothesis. The Mathematical Architecture Hypothesis: across different domains of reality, mathematical structures may provide a common framework for identifying constraints, describing interactions, explaining emergent patterns and predicting system behavior, even when the underlying physical mechanisms differ.

Principal findings

1. **Mathematics predicts, not just describes (Grade A).** A single fitted constant reproduces ten visible lines of the hydrogen spectrum to within 5 parts per million, including six lines it was not fitted to (Figure 5). Equal mass spacing in an SU(3) symmetry pattern predicted the Omega-minus mass at about 1,684 MeV; it was found in 1964 at 1,672 MeV (Figure 9). Relativity predicts that GPS satellite clocks gain 38.4 microseconds a day, and without the correction positions would drift by about 11.5 km a day (Figure 7). Across twelve historical cases, the median lag between a piece of mathematics and its first major physical use was 86 years (Figure 3).
2. **But numerical coincidence is cheap (Grade A).** With fewer than 60,000 formulas built from small powers of 2, 3, 5, π and e , 55 per cent of randomly chosen numbers can be matched to within 0.01 per cent. One such formula gives the inverse fine-structure constant to 0.012 per cent with no physical meaning at all (Figure 6). Numerical agreement without mechanism is weak evidence.
3. **Symmetry is the deepest recurring structure (Grade A).** Noether's theorem shows that every continuous symmetry of a system's laws implies a conserved quantity: time symmetry gives energy, spatial symmetry gives momentum, rotational symmetry gives angular momentum and phase symmetry gives electric charge (Figure 8). The Standard Model of particle physics is specified largely by its symmetry groups.
4. **Compact rules generate unbounded complexity (Grade A).** The logistic map, one line of algebra, passes from stability through period doubling to chaos. The ratio of successive doubling intervals converges to the Feigenbaum constant 4.6692, which also appears in fluids and electronic circuits (Figure 10). Of the 256 simplest one-dimensional cellular automata, 202 produce highly ordered patterns, 32 intermediate structure and 22 output that no standard compressor can shrink (Figure 12). In the Lorenz system each tenfold gain in measurement precision buys only about 2.6 more time units of forecast (Figure 11).
5. **Recurrence across domains has a mathematical cause, universality (Grade A–B).** A simulated lattice of magnetic spins reproduces Onsager's exact solution, and magnets and simple fluids share critical exponents despite having nothing physical in common (Figure 13). One fixed-point equation, $S = 1 - e^{-cS}$, predicts the giant component of random networks, the final size of epidemics and the survival of family lines to within 0.02 (Figure 21).
6. **Many claimed universal patterns fail testing (Grade B).** A lognormal sample gives a log-log plot with $R^2 = 0.96$, which looks like a power law, yet a likelihood-ratio test rejects the power law with $p < 10^{-27}$ (Figure 15). The 3/4 scaling of metabolism with body mass is contested; the golden ratio's supposed ubiquity in art and anatomy is largely myth; the golden angle in plant growth is real and has a physical mechanism (Figure 16).
7. **Probability turns microscopic chance into macroscopic law (Grade A).** Averages of a highly skewed quantity converge to the normal curve at the rate the central limit theorem predicts (Figure 17). Random exchanges of a conserved quantity turn equal shares into the exponential Boltzmann–Gibbs distribution within a few rounds, reaching the maximum-entropy state (Figure 18).
8. **Fit is not explanation (Grade A).** With 51 Fourier epicycles one can trace the outline of the letter H to within 0.4 per cent (Figure 23). Any sufficiently flexible mathematics can fit any data. The test of a

mathematical description is compression and novel prediction, not agreement with what it was built to fit.

- 9. The evidence favors mathematics as a discovery of structure (Grade C).** Of fifteen cross-domain mathematical correspondences scored in this report, seven earn an A: they share mathematics and mechanism, fit quantitatively and have produced confirmed predictions across domains. Five are graded C or D, resemblances rather than unifications (Figure 22). The pattern supports structural realism: mathematics captures relations that are really there, and its success is greatest where systems share a structure rather than a substance (Figure 24).

The verdict

Mathematics is neither merely a language nor demonstrably the substance of reality. The evidence assembled here supports a conditional answer. Mathematics is a human invention in its notation, its choice of problems and its standards of proof. But its most successful structures, the symmetries and conservation laws, the geometry of spacetime, the universality classes of collective behavior and the laws of probability, are not arbitrary. They survive changes of theory, predict phenomena no one had observed, and recur in systems that share nothing but their structure. That is what one would expect if they capture objective features of the world. Whether the world is *made* of mathematics is a further question. It may be meaningful, but it is not one that present evidence can decide, and the report does not treat it as settled.

In one sentence. Mathematics works because the world has structure that can be compressed, shared across systems and preserved through change, and the most successful mathematics is the discovery of that structure, not merely a description of it.

01

INTRODUCTION



1. Introduction

1.1 An equation that knew where to look

In the summer of 1846 the French mathematician Urbain Le Verrier sent a letter to the Berlin Observatory. Uranus, discovered sixty-five years earlier, was not following the orbit that Newton's law of gravitation predicted. Le Verrier had assumed that an unseen planet was pulling it off course and had worked backwards, through months of hand calculation, to where that planet must be. On the night the letter arrived, Johann Galle pointed a telescope at the position Le Verrier gave and found [Neptune](#) within about one degree of the prediction. No one had seen the planet before. Its existence and location had been deduced from an inverse-square law and a discrepancy in a column of numbers.

Episodes like this are the reason this report exists. Mathematics is not only a convenient shorthand for observations already made. Again and again it has pointed to things no one had observed: a planet, an antiparticle, a wave in the fabric of spacetime, a particle with a specific mass. In 1928 Paul Dirac wrote down an [equation for the electron](#) that combined quantum mechanics with special relativity. Its mathematics had solutions that seemed to describe electrons with negative energy. Dirac eventually interpreted them as a new particle with the electron's mass and opposite charge. Carl Anderson found that particle, the [positron](#), in cosmic-ray tracks in 1932. The equation had been more intelligent than its author.

The puzzle is easy to state and hard to resolve. Mathematics is developed by people at desks, guided by internal standards of rigor, generality and elegance. The physical world is not obliged to respect any of those standards. Yet the structures mathematicians find elegant keep turning out to be the structures nature uses. This report examines that puzzle as the foundation of the [Architecture of Creation](#) series, all of whose reports describe the universe, life, Earth and civilization in mathematical terms.

1.2 The central question

Central question. Is mathematics merely a language humans use to describe reality, or does the effectiveness of mathematics reveal something deeper about the structure of reality itself?

The question has three parts, and each calls for a different kind of evidence.

1. **Scope.** Where, exactly, does mathematics succeed, and where does it fail? Its success in fundamental physics is extraordinary. Its success in biology, ecology and economics is real but more modest. A serious answer has to explain this gradient, not just the triumphs.
2. **Mechanism.** Why does it succeed where it does? Possible answers include the selection of tractable problems, the compressibility of physical regularities, the existence of universality classes, the evolutionary origins of human cognition, and the possibility that physical structure simply is

mathematical structure. These are not mutually exclusive, and their relative weight is the main empirical question.

3. **Interpretation.** What does that success imply about reality? Here the question becomes philosophical. The report evaluates three positions: that mathematics is a descriptive language, that it discovers objective structure, and that it is the foundation of reality. It asks which position best explains the evidence of scope and mechanism.

The report organizes the evidence into seven layers, from numbers to interpretation, introduced in Section 3. The layers follow the order in which mathematics meets the world. Numbers measure quantities. Geometry relates positions. Symmetry identifies what stays the same. Equations describe change. Scaling relates the large to the small. Probability links many parts to collective behavior. Interpretation asks why any of this works.

1.3 The Mathematical Architecture Hypothesis

The report's organizing proposition is stated as a hypothesis, not a conclusion.

The Mathematical Architecture Hypothesis. Across different domains of reality, mathematical structures may provide a common framework for identifying constraints, describing interactions, explaining emergent patterns and predicting system behavior, even when the underlying physical mechanisms differ.

The hypothesis is deliberately modest in one respect and ambitious in another. It is modest because it says *may*, and because it does not claim that reality is made of mathematics. It is ambitious because it claims more than that mathematics is a convenient notation. If mathematical structures provide a *common* framework across domains with *different* mechanisms, then the structure is doing explanatory work that the mechanisms are not. The same equation would then explain why a disease spreads, why a network holds together and why a surname survives, not as a metaphor but as a result.

That claim is testable. The important test, which this report applies in Section 11, is whether a shared mathematical structure yields *new explanations or predictions* in a domain, rather than simply allowing different phenomena to be described in similar terms. A framework that only renames things is a vocabulary. A framework that predicts is a theory.

1.4 Five kinds of mathematical claim

Much confusion about mathematics and reality comes from treating very different kinds of claim as if they were the same. A statement that the golden ratio appears throughout nature and a statement that energy is conserved are both mathematical statements about the world. They are not remotely equal in standing. This report distinguishes five kinds of claim, shown as a ladder in Figure 2.

	KIND OF CLAIM	HOW IT CAN FAIL	EXAMPLES	TYPICAL GRADE
↑ strength of the claim that mathematics captures the world	1 Exact mathematical identity	True by proof; cannot fail empirically, only be misapplied.	<i>Euler's identity; the same fixed-point equation for networks and epidemics</i>	A
	2 Established physical law	Tested across wide ranges; fails only at known limits.	<i>Maxwell's equations; general relativity; conservation of energy</i>	A
	3 Empirical regularity	Holds in data, with a mechanism partly understood or debated.	<i>Kleiber's 3/4 scaling; Zipf's law for cities; Benford's law</i>	B–C
	4 Approximate model	Useful idealization; valid within a stated domain.	<i>Logistic growth; the SIR model; the Lorenz equations; ideal gases</i>	B
	5 Structural analogy	Shared form without shared mechanism or new predictions.	<i>The golden ratio in art and markets; 'everything is a fractal'</i>	D

Figure 2. A ladder of mathematical claims. The higher the rung, the stronger the claim that mathematics has captured something about the world, and the more severe the tests it has passed. Many disputes about whether 'nature is mathematical' arise from moving examples between rungs without noticing.

Source: H Heuristics. Typical grades follow the scale in Table 1; individual claims on each rung can be graded higher or lower.

- **Exact mathematical identities** are true by proof. That the same fixed-point equation governs random networks and epidemics, once both are idealized in the same way, is an identity. It cannot be refuted by experiment, only misapplied.
- **Established physical laws**, such as Maxwell's equations and conservation of energy, are mathematical statements that have survived exacting tests across enormous ranges of conditions and fail, if at all, only at known limits.
- **Empirical regularities**, such as Kleiber's law that metabolic rate scales roughly with body mass to the 3/4 power, hold in data but have mechanisms that are partly understood or disputed.
- **Approximate models**, such as logistic population growth or the SIR model of epidemics, are deliberate idealizations, useful within a stated domain and known to be wrong outside it.
- **Structural analogies** note that two phenomena share a mathematical form without sharing a mechanism and without yielding new predictions. Claims that the golden ratio governs art, anatomy and financial markets usually belong here, and often fail even as analogies.

The ladder matters for the central question. If mathematics only described reality at the lower rungs, the descriptive-language view would be adequate. The challenge to that view comes from the top two rungs, where mathematics predicts with a precision and reach that mere description does not obviously explain.

1.5 What would count as an answer

The question cannot be settled by a single experiment, but it is not beyond evidence. Each position makes different bets. If mathematics is only a language, one would expect its success to track human

interest and effort: the problems we care about most and study hardest should be the best described. One would also expect mathematical structures to be replaced when theories change, as vocabularies are. If mathematics discovers objective structure, one would expect certain structures to survive theory change, to predict phenomena in advance and to recur in unrelated systems that share an abstract organization. If reality is mathematical at bottom, one would expect, in addition, no physical feature that resists mathematical description in principle. One might also expect evidence bearing on the existence of other mathematical structures realized as other universes, although no one has said how such evidence could be obtained.

The report therefore looks for four kinds of evidence: the *precision* of mathematical predictions, their *novelty* (whether they predicted unseen phenomena), their *survival* across theory change, and their *transfer* across domains with different mechanisms. It also looks for the counter-evidence: domains where mathematics persistently underperforms, coincidences that look meaningful but are not, and results showing that some questions about physical systems cannot be answered mathematically at all.


1.6 Method and scope

The report combines three methods. First, it synthesizes the literature in physics, mathematics, the philosophy of science and the cognitive science of number. Second, it presents seventeen original calculations, each designed to illustrate one claim cleanly and to quantify it where possible. They are not new physics. They are worked examples that let a reader see, for instance, how fast numerical coincidences accumulate, or how closely three different systems follow one equation. Third, it applies the grading scale of the series and states explicitly which claims are established and which are open.

The report concentrates on the physical and natural sciences, with briefer attention to biology, ecology and social systems. It does not attempt a history of mathematics or a technical survey of the philosophy of mathematics; it draws on both where they bear on the central question. It treats mathematics as including the formal sciences of probability, information and computation, because these have become indispensable to describing the natural world.

02

LITERATURE REVIEW



2. Literature Review: Why Mathematics Works

2.1 Number as the nature of things

The idea that reality is fundamentally mathematical is older than science. The [Pythagoreans](#) of the sixth century BCE discovered that musical harmonies correspond to simple ratios of string lengths, 2:1 for the octave and 3:2 for the fifth, and concluded that number is the principle of all things. Plato placed mathematical forms in a realm more real than the physical world. Euclid's *Elements* showed that a few axioms could generate hundreds of theorems about space, and for two thousand years Euclidean geometry was taken to be the necessary structure of the physical world.

The scientific revolution turned this conviction into a method. Johannes Kepler spent years fitting Mars's motion to circles before accepting an ellipse, a curve Apollonius had studied eighteen centuries earlier. Galileo argued that the book of nature is written in the language of mathematics, its characters triangles, circles and other geometric figures. Newton's *Principia* (1687) derived Kepler's laws, the tides and the precession of the equinoxes from three laws of motion and one law of gravitation. From then on, the success of mathematical physics became the model for what a mature science should look like.

Two later developments complicated the picture. In the nineteenth century, Gauss, Bolyai, Lobachevsky and Riemann showed that [non-Euclidean geometries](#) are logically consistent. Euclidean geometry was therefore one option among several, and which one describes physical space became an empirical question. Einstein's general relativity answered that space is not Euclidean at all. In the twentieth century, [Gödel's incompleteness theorems](#) and [Turing's analysis of computation](#) showed that mathematics itself has intrinsic limits. No consistent formal system rich enough for arithmetic can prove every true statement about numbers, and no algorithm can decide every mathematical question.

2.2 Wigner's puzzle

The modern debate begins with a 1960 lecture by Eugene Wigner, published as [The Unreasonable Effectiveness of Mathematics in the Natural Sciences](#). Wigner made two observations. First, mathematical concepts developed for purely internal reasons, because mathematicians found them beautiful or natural, often turn out to apply to physics. Complex numbers and Hilbert spaces, for example, became the language of quantum mechanics. Second, the laws formulated with these concepts are often accurate far beyond the evidence that suggested them. Newton's law of gravitation was based on rough observations, yet it proved accurate to better than one part in ten thousand. Wigner offered no explanation and suggested that perhaps none exists.

Wigner's essay has been criticized for sampling only successes and for underestimating how much mathematics is shaped by physics. Calculus, Fourier analysis and much of probability were developed to solve physical problems, so it is less surprising that they apply. But the core observation survives. Riemann's geometry, Cartan's spinors and Galois's groups were not developed for physics, and the precision of the best physical theories goes far beyond what the data used to formulate them would warrant.

2.3 Hamming's four explanations

Twenty years later the mathematician Richard Hamming returned to Wigner's question in an [essay of the same title](#). He proposed four partial explanations, each still central to the debate.

1. **We see what we look for.** Much of what we observe is shaped by the instruments and concepts we bring. Hamming argued that some apparent laws are consequences of how quantities are defined. For example, if gravitation did not follow an inverse-square law in three dimensions, energy would not be conserved in the way it is defined.
2. **We select the kind of mathematics to use.** When one mathematical tool fails, scientists reach for another. Scalars gave way to vectors and then to tensors. The fit between mathematics and nature is partly the result of a long search through mathematical options.
3. **Science answers comparatively few problems.** Mathematics has been strikingly successful in physics and much less so in biology, psychology and economics. The success rate is inflated by attention to the domains where it works.
4. **The evolution of humans provided the model.** Brains that track quantities, distances and causes would have survived better. Mathematics may extend capacities that evolved because they matched the structure of the environment.

Hamming concluded that these explanations together were not enough. That remains the honest summary. Each explanation removes part of the surprise, but none explains why an abstract structure such as a Lie group, chosen for internal mathematical reasons, should predict the mass of a particle.

2.4 Mathematics ahead of observation

The most persuasive evidence that mathematics does more than describe is the record of predictions made before the phenomena were observed. Table 2 lists some of the most important. In each case the mathematics was not fitted to the phenomenon it predicted; the phenomenon was unknown when the mathematics was done.

Table 2. Phenomena predicted mathematically before they were observed

Prediction	Mathematical basis	Predicted	Observed	Lag
Neptune	Perturbations of Uranus under Newton's inverse-square law	Le Verrier, 1846	Galle, 1846	Weeks
Electromagnetic waves	Maxwell's equations admit waves travelling at $1/\sqrt{(\mu_0 \epsilon_0)}$, the measured speed of light	Maxwell, 1865	Hertz, 1887	22 years
Expanding universe	Solutions of Einstein's field equations for a homogeneous universe	Friedmann, 1922	Hubble, 1929	7 years
Positron (antimatter)	Negative-energy solutions of the Dirac equation	Dirac, 1928–31	Anderson, 1932	1–4 years
Omega-minus particle and its mass	Equal mass spacing in the SU(3) decuplet	Gell-Mann, 1962	Barnes et al., 1964	2 years
Higgs boson	Spontaneous breaking of gauge symmetry	Higgs, 1964	ATLAS and CMS, 2012	48 years
Gravitational waves	Wave solutions of linearized general relativity	Einstein, 1916	LIGO, 2015	99 years
Black-hole shadow	Photon orbits in the Schwarzschild and Kerr solutions	Schwarzschild, 1916	EHT, 2019	103 years

Lags measured from the first clear mathematical prediction to the first published detection. Dirac initially identified the new solutions with the proton and proposed a new particle only in 1931.

A second kind of anticipation is less dramatic but more revealing. Here a piece of mathematics was developed for internal reasons and found its physical application much later. Figure 3 shows twelve such cases. The lag ranges from 15 years, for the spinors Élie Cartan described in 1913 and Dirac used in 1928, to about 1,800 years for the conic sections Apollonius studied around 200 BCE and Kepler used in 1609. The median is about 86 years. In none of these cases was the mathematician trying to describe the phenomenon to which the work later applied.




Figure 3. Mathematics often arrives first. For twelve major cases, the bar runs from the development of a mathematical idea (blue) to its first major physical or technological application (orange). The median lag is about 86 years.

Source: H Heuristics, from standard histories of mathematics and physics. Dates are conventional milestones (for example, Bombelli's 1572 algebra for complex numbers and Schrödinger's 1926 wave equation) and are rounded; earlier precursors exist for several cases.

These cases cannot by themselves establish that mathematics discovers structure. Mathematicians produce vast amounts of mathematics, and only a fraction is ever applied. A skeptic can argue that with enough mathematics on the shelf, something will always fit. Section 4 shows that this argument has real force for single numbers. It has much less force for structures such as Riemannian geometry, which were not merely found to fit but turned out to predict new effects that were then measured.

2.5 The philosophy of mathematics

Philosophers have offered several accounts of what mathematical objects are, and each implies a different explanation of mathematical success. The [philosophy of mathematics](#) is a large field; four positions matter most here.

- **Platonism** holds that mathematical objects such as numbers, sets and groups exist independently of human minds, outside space and time, and that mathematicians discover rather than invent them. Platonism makes the objectivity of mathematics easy to explain but makes it hard to explain how physical beings could know anything about non-physical objects, or why such objects should bear on physical events.
- **Formalism** holds that mathematics is the manipulation of symbols according to rules, with no subject matter beyond the rules themselves. Formalism makes mathematical knowledge unmythical, but on its face makes applicability a coincidence: why should a rule-governed game predict the orbit of Neptune?
- **Fictionalism** and nominalism hold that mathematical objects do not exist and that mathematical statements are, strictly, false or meaningful only within a story. Hartry Field's *Science Without Numbers* (1980) tried to show that Newtonian gravitation can be stated without reference to numbers, so mathematics is a convenient but dispensable shortcut. The program has not been extended to quantum mechanics or general relativity.

- ****The [indispensability argument](#)****, associated with Quine and Putnam, argues in the opposite direction. We should believe in the entities that our best scientific theories require. Those theories require mathematical entities, so we should believe in mathematical entities. Recent work by [Baker](#), [Batterman](#) and [Lange](#) strengthens the argument by identifying [mathematical explanations](#) of physical facts: explanations in which the mathematics, not a causal mechanism, does the explaining.

Baker's example has become a classic. Periodical cicadas in North America emerge every 13 or 17 years, and both are prime numbers. A prime-numbered cycle minimizes how often the cicadas coincide with predators or competitors that have shorter cycles. The [primality of the period](#) is part of why it was favored by selection. If that explanation is right, a fact about numbers explains a fact about insects.

2.6 Structural realism

A different approach comes from the philosophy of science. In 1989 John Worrall proposed [structural realism](#) as the best of both worlds in the debate about scientific realism. The pessimistic induction notes that successful theories of the past, such as the ether theory of light, were later rejected. That suggests our current theories will be rejected too, so we should not believe what they say about unobservable things. Worrall observed that when theories are replaced, their *mathematical structure* is often retained. Fresnel's equations for the reflection and refraction of light, derived from an ether that does not exist, survive intact in Maxwell's electromagnetic theory. What survives, and what we should therefore believe, is the structure.

James Ladyman's [ontic structural realism](#) goes further, arguing that structure is all there is: relations are fundamental, and objects are nodes in a pattern of relations. The idea draws support from quantum mechanics, where particles of the same type lack individual identity, and from the central role of symmetry groups in physics. [Structural realism](#) is attractive for this report because it offers a middle path between mathematics as language and mathematics as substance. On this view, mathematics is the study of possible structures, and physics discovers which structures are instantiated.

2.7 Mathematics and the mind

A third line of evidence concerns the origins of mathematical thinking. Infants and many animals can discriminate small quantities and estimate larger ones. Experimental work identifies two [core systems of number](#): one for exact small numbers up to about three or four, and one for approximate magnitudes whose precision declines with size. Single neurons in the primate brain respond selectively to particular numbers of items, a [neuronal code for number](#) shared across species. Lakoff and Núñez's [Where Mathematics Comes From](#) (2000) argued that higher mathematics is built from metaphors grounded in bodily experience, such as collections of objects and motion along a path.

This research supports Hamming's fourth explanation. Human mathematics begins with capacities that evolved because they tracked real features of the environment. But it cannot explain the reach of mathematics far beyond anything ancestral humans encountered. Evolution can explain why we can count apples; it is a stretch to say it explains why the representation theory of $SU(3)$ predicts the Omega-minus.

2.8 The mathematical universe

At the far end of the spectrum, Max Tegmark's [Mathematical Universe Hypothesis](#) proposes that our external physical reality *is* a mathematical structure. It is not merely described by one. Tegmark argues

that a complete description of reality must be free of human concepts, and the only such descriptions are mathematical. If a mathematical structure is complete and contains self-aware substructures, those substructures will experience it as a physical world. Tegmark adds that [all mathematical structures may exist](#) in a similar way, forming an ultimate multiverse.

The hypothesis has the virtue of answering Wigner's question in one step: mathematics works because there is nothing else. Critics raise serious objections. The hypothesis may not be testable. It faces a measure problem, because there is no natural way to weigh infinitely many structures. And Gödel's results suggest that many mathematical structures cannot be fully specified. Tegmark has responded by restricting the hypothesis to computable structures. Section 10 evaluates these arguments. For now it is enough to note that the hypothesis is a philosophical proposal, not a result of physics, and that most physicists and philosophers do not accept it.

2.9 What the literature establishes


The literature supports several conclusions that can be held with confidence, and leaves the central question open.

- Mathematics has repeatedly predicted unobserved phenomena, sometimes with extraordinary precision. This is a historical fact, not an interpretation (Grade A).
- Selection effects, the shaping of mathematics by physics and the evolutionary roots of number explain part of the effectiveness of mathematics, but not all of it (Grade B).
- Mathematical structure is often preserved when physical theories are replaced, while the theories' claims about what exists are not (Grade B).
- Some physical facts appear to have mathematical rather than causal explanations, which bears on whether mathematics is merely descriptive (Grade C).
- No position, from formalism to the Mathematical Universe Hypothesis, has decisive support. The question is open, and the most productive approach is to ask which position best explains the specific patterns of mathematical success and failure (Grade B as a description of the field).

The rest of this report pursues that approach. It begins by building a framework for organizing the evidence.

03

THE THEORETICAL FRAMEWORK



3. The Theoretical Framework

3.1 Seven layers of mathematical reality

The report organizes the meeting of mathematics and the world into seven layers (Figure 4). They are not levels of physical organization, like particles, atoms and cells. They are levels of mathematical description, ordered from the most concrete to the most interpretive. Each layer uses the tools of the layers beneath it, and each has its own characteristic successes, failures and research question.

LAYER	RESEARCH QUESTION	MATHEMATICAL SIGNATURE
VII Why mathematics describes reality Realism, formalism, structural realism, the limits of models	Does mathematical structure reflect reality or the way minds organize it?	model ↔ world
VI Probability, information and emergence Probability, statistical mechanics, information, networks	How does mathematics link micro-interactions to macro-structure?	$S = k_B \ln W$ $H = -\sum p_i \log p_i$
V Scaling, fractals and recurring patterns Power laws, self-similarity, universality, allometry	Why do some patterns recur across scales and domains?	$Y = Y_0 M^b$ $N(\varepsilon) \propto \varepsilon^{-D}$
IV Equations and dynamical systems Differential equations, nonlinearity, stability, chaos	How do simple rules produce unpredictable or organized outcomes?	$\dot{x} = f(x)$ $x_{t+1} = rx_t(1 - x_t)$
III Symmetry and conservation Invariance, groups, Noether's theorem, symmetry breaking	Why are symmetries central to fundamental laws?	$\partial_\mu j^\mu = 0$
II Geometry and the structure of space Geometry, topology, curvature, dimension, spacetime	How does geometry encode physical relationships, including gravity?	$G_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$
I Numbers and fundamental relationships Integers, ratios, primes, constants, quantization	Why can so many physical properties be expressed as numbers?	$\alpha^{-1} = 137.035\,999\,177(21)$

from quantity to interpretation: each layer uses the tools of those beneath it

The layers are a reading order, not a claim that nature is built in this sequence. Layer VII asks why the six beneath it work at all.

Figure 4. The seven layers of mathematical reality. Each layer has a characteristic research question and a mathematical signature. The six lower layers concern how mathematics describes the world; the seventh asks why it can.

Source: H Heuristics. The value of the inverse fine-structure constant is the [CODATA 2022](#) recommended value.

- 1. Numbers and fundamental relationships.** Integers, ratios, primes and constants provide the foundations of quantitative description. The research question is why so many physical properties can be expressed through numerical relationships, and why some of those numbers, such as the fine-structure constant, take the values they do.
- 2. Geometry and the structure of space.** Geometry, topology, curvature and dimension describe the shape of space and the relations between physical objects. The question is how geometry encodes physical relationships, including gravitation, which general relativity identifies with the curvature of spacetime.

3. **Symmetry and conservation.** Transformations that leave a system unchanged, the groups they form and their connection to conservation laws. The question is why symmetries are so central to the formulation of fundamental laws.
4. **Equations and dynamical systems.** Differential equations, nonlinear dynamics, stability, chaos and phase transitions. The question is how relatively simple rules produce unpredictable or highly organized outcomes.
5. **Scaling, fractals and recurring patterns.** Power laws, self-similarity, branching structures and scaling relations in physical, biological and ecological systems. The question is why certain patterns recur across scales and domains.
6. **Probability, information and emergence.** Probability theory, statistical mechanics, information theory and network science. The question is how mathematics connects microscopic interactions to macroscopic structure.
7. **Why mathematics describes reality.** Mathematical realism, formalism, structural realism and the limits of scientific models. The question is whether the mathematical structure of our best theories reflects the underlying nature of reality, or the way human minds organize observations.

3.2 The central connections

Across the layers, a small number of mathematical principles do most of the explanatory work. Table 3 lists them, with their main physical applications, their broader significance and the report's assessment of how firmly each connection is established. The connections are not all equivalent. Some are deeply established mathematical relationships. Others are useful analytical frameworks whose applicability depends on the system being studied.

Table 3. The central connections between mathematical principles and physical reality

Mathematical principle	Physical application	Broader significance	Status	Grade
Symmetry	Fundamental interactions; conservation laws	Identifying invariant properties	Proven theorem (Noether) and the organizing principle of the Standard Model	A
Differential equations	Motion, fields, fluid dynamics	Predicting how systems evolve	Universal language of physical law; solutions may be intractable	A
Optimization	Physical equilibria; some biological processes	Explaining constrained configurations	Exact in mechanics (least action); approximate and contested in biology	A–C
Probability and statistics	Quantum measurement; statistical mechanics	Connecting uncertainty to observable patterns	Exact rules; interpretation of quantum probability debated	A
Network theory	Cosmic structure, ecosystems, infrastructure	Understanding connectivity and resilience	Exact for idealized graphs; real networks often depart from models	B
Scaling laws	Critical phenomena; biological networks	Relating behavior across scales	Exact near critical points; empirical and often overstated elsewhere	A–C
Information theory	Communication, computation, inference; thermodynamics	Quantifying uncertainty and information	Proven theorems; physical link confirmed by experiment (Landauer)	A

Adapted from the H Heuristics research brief for this report, with status and grades added. Ranges such as A–C indicate that the principle is exact in some applications and contested in others.

3.3 Four reasons mathematics might succeed

The literature reviewed in Section 2 suggests four distinct mechanisms by which mathematics could come to describe reality well. The framework keeps them separate because they make different predictions, and because they are compatible: all four may operate at once, with different weights in different layers.

- 1. Selection.** Scientists choose problems that mathematics can solve, and choose mathematics that fits their problems. This mechanism predicts that mathematical success will be concentrated where research effort has been concentrated, and that it will be weaker in domains that resist simplification. Both predictions are borne out to some degree.
- 2. Compression.** Nature contains regularities, and mathematics is a way of compressing regularities into short descriptions. If a phenomenon is regular, some mathematical description of it will be shorter than a list of observations. This mechanism predicts that mathematics will succeed exactly where nature is compressible and fail where it is not, as in chaotic or historically contingent systems.
- 3. Universality.** When many components interact, the collective behavior often depends only on a few structural features, such as dimension, symmetry and the range of interactions, and not on microscopic details. This mechanism predicts that the same mathematics will recur in systems with

completely different components, and that the recurrence will be quantitatively exact in the appropriate limit.

4. **Structural correspondence.** Mathematical structures and physical structures may share a form because the physical world has objective relational structure, and mathematics is the systematic study of possible relational structures. On the strongest version, there is no difference between the two. This mechanism predicts that mathematical structure will survive theory change and will predict phenomena in advance.

The first mechanism supports the descriptive-language view. The fourth supports the discovery or foundation views. The second and third are the most interesting, because they are not merely philosophical. Compression and universality are themselves mathematical facts about the world, and they can be measured. Sections 4 to 9 track all four mechanisms layer by layer, and Section 11 tests them.

3.4 A formal statement

The compression mechanism can be stated precisely using the [minimum description length](#) principle, which has roots in [algorithmic information theory](#). Let D be a body of observations, M a mathematical model and L a description length in bits. A model explains data, in the compression sense, when describing the model plus the data's deviations from it takes fewer bits than describing the data directly:

$$L(M) + L(D | M) < L(D) \quad (1)$$

The ratio of the two sides measures how much the model compresses the data:

$$\kappa = L(D) / [L(M) + L(D | M)] \quad (2)$$

A law of nature is a model with very large κ across a very wide range of D . Newton's law of gravitation, a single line, compresses centuries of planetary positions, the tides and the trajectories of spacecraft. A curve fitted to a single data set with as many parameters as data points has κ close to 1 and explains nothing, however well it fits. Section 13 shows this concretely with epicycles.

The universality and transfer mechanisms need a second statement. Let a structure M be fitted in domain A and then applied without refitting to domain B , whose mechanism is different. Let $\varepsilon_B(M)$ be its prediction error in B , and $\varepsilon_B(\text{null})$ the error of the best domain-specific model with the same number of free parameters. The structure *transfers* if:

$$\varepsilon_B(M) \leq \varepsilon_B(\text{null}) \quad \text{with no parameters refitted in } B \quad (3)$$

This is the operational form of the Mathematical Architecture Hypothesis. A shared structure that merely allows both domains to be *described* in similar language will not satisfy condition (3), because its parameters must be refitted for each domain. A shared structure that captures something real about how both domains are organized will satisfy it. Section 11 applies this test to fifteen cross-domain correspondences.

3.5 Relation to the series framework

The [foundational report](#) of the series described a creation structure: constraints that define a space of viable forms, generative processes that explore it, and filters that select what persists. The seven layers map onto this structure in a natural way.

- **Constraints** are expressed mainly in Layers I to III. Constants fix scales, geometry fixes what arrangements are possible, and symmetries fix what must be conserved. These are the mathematics of what cannot happen.
- **Generators** are expressed mainly in Layers IV and V. Equations of motion and iterated rules generate trajectories, patterns and structures, and scaling laws describe how generated structures relate across sizes. These are the mathematics of what does happen.
- **Filters** are expressed mainly in Layer VI. Stability, probability and selection decide which of the generated possibilities are observed. These are the mathematics of what persists and what is typical.

Layer VII stands outside this structure because it asks about the status of the whole. The Mathematical Architecture Hypothesis can therefore be restated in the series' terms: the constraints, generators and filters that shape every domain of creation are themselves mathematical structures, and the same ones recur across domains.


3.6 What the framework claims and does not claim

The framework claims that mathematical descriptions of the world can be usefully sorted into seven layers and five kinds of claim. It also claims that four mechanisms of mathematical success can be distinguished, and that at least two of them, compression and universality, are measurable. It claims that the Mathematical Architecture Hypothesis has a testable form, condition (3).

It does not claim that reality is built in layers, that every phenomenon has a compact mathematical description, or that the success of mathematics in physics will extend to all other domains. It does not assume any of the three philosophical positions. Those are evaluated in Section 10 against the evidence of the intervening sections.

04

LAYER I · NUMBERS AND RELATIONSHIPS



4. Layer I: Numbers and Fundamental Relationships

4.1 The question

Research question. Why can so many physical properties be expressed through numerical relationships?

The first layer is the most basic: the world can be measured, and measurements stand in numerical relationships to one another. That is less obvious than it seems. Nothing about a stone requires that its mass be expressible as a number, or that doubling the stones should double the mass. That physical quantities behave like numbers under addition, multiplication and comparison is itself a fact about the world. It is so familiar that it is rarely noticed. This section asks how far that fact extends, which numbers are fundamental, and how to tell a meaningful numerical relationship from a coincidence.

4.2 From measurement to law

Most physical quantities carry units, and their numerical values depend on human conventions. The speed of light is 299,792,458 metres per second only because the metre and second are defined that way; since 2019 the [SI units](#) have been defined by fixing such constants exactly. What does not depend on convention are *dimensionless* ratios: numbers that come out the same in any system of units. [Dimensional analysis](#) exploits this. Because a physical law must hold in every unit system, it can be written as a relation among dimensionless combinations. That alone often fixes the form of a law up to a constant. The period of a pendulum must scale as the square root of its length divided by the acceleration of gravity, because no other combination of those quantities has the units of time.

The deepest numerical surprises came with the discovery that some physical quantities are *integers*. In 1885 Johann Balmer, a Swiss schoolteacher, noticed that the four visible lines of hydrogen then measured could be described by a single formula with one constant, $\lambda = B n^2 / (n^2 - 4)$, where $n = 3, 4, 5, 6$. Balmer had no physical explanation. Bohr provided one in 1913, and quantum mechanics a more complete one in 1926: the integers label the allowed energy states of the electron. Figure 5 shows how well the formula works. Fitting B to the four lines Balmer knew gives $B = 364.60$ nm. With no further adjustment, the formula reproduces all ten lines of the series in the chart to within 5.2 parts per million, including six lines that were not used in the fit.




Figure 5. One constant predicts the hydrogen spectrum. Visible lines of the Balmer series (a) and the error of Balmer's one-parameter formula, with the constant fitted to the four lines Balmer had and then used to predict six more (b). All ten predictions fall within about 5 parts per million.

Source: H Heuristics calculation using standard air wavelengths of the hydrogen Balmer lines from the [NIST Atomic Spectra Database](#). The small residuals reflect fine structure, the refractive index of air and rounding in the tabulated values.

This is the pattern that makes Layer I more than bookkeeping. A numerical regularity is found empirically, compresses many observations into a short formula, predicts observations not yet made, and is later explained by a deeper theory in which the integers turn out to count something physical. In compression terms, Balmer's formula describes ten wavelengths, each known to six or seven significant figures, with one number and a rule.

4.3 The fundamental constants

Physics depends on a small set of numbers that no current theory explains. The best known is the [fine-structure constant](#) α , which sets the strength of electromagnetism. Its inverse is about 137.036. It is now one of the most precisely measured numbers in science, determined from the [magnetic moment of the electron](#) and from the recoil of [rubidium](#) and [caesium](#) atoms. Theory and experiment for the electron's magnetic moment agree to about one part in a trillion, a test of quantum electrodynamics carried to [five loops](#). The rubidium and caesium measurements themselves disagree at the level of a few parts in ten billion, an unresolved discrepancy that illustrates how far precision now reaches.

Table 4. Some dimensionless numbers that characterize the physical world

Quantity	Value	What it sets	Explained by current theory?
Fine-structure constant, $1/\alpha$	137.035 999 177(21)	Strength of electromagnetism; atomic sizes and spectra	No; a measured input
Proton-to-electron mass ratio	1,836.152 673 426(32)	Chemistry, molecular structure	Partly: proton mass computed from QCD to a few per cent; electron mass is an input
Electric to gravitational force between two protons	$\approx 1.2 \times 10^{36}$	Why gravity is negligible for atoms but dominant for stars	No
Cosmological constant in Planck units	$\approx 10^{-122}$	The accelerating expansion of the universe	No; naive estimates are off by ~120 orders of magnitude
Number of large spatial dimensions	3	Inverse-square laws; stable orbits and atoms	No; but only 3 appears to permit stable orbits (Section 5)
Free parameters of the Standard Model	About 19 (26 with neutrino masses)	Masses, mixing angles, coupling strengths	No; all measured

Values from [CODATA 2022](#) where available; uncertainties in the last digits in parentheses. The proton mass computation is from [lattice QCD](#); the cosmological constant from [Planck 2018](#).

The table shows the limit of Layer I. Mathematics describes how the constants enter the laws with great precision. It does not explain why they have the values they do. Some physicists expect a future theory to derive them. Others suspect that some are environmental, like the distance of Earth from the Sun, taking different values in different regions of a larger universe. That view gained weight when Steven Weinberg used an [anthropic argument](#) in 1987 to bound the cosmological constant shortly before its measurement. A review of [fine-tuning](#) concludes that many constants could vary considerably without precluding complex structures, but some could not. The question of why these numbers is open (Grade D for any specific answer).

4.4 Integers, primes and the structure of number

Number theory, the study of the integers themselves, was long regarded as the purest and least applicable branch of mathematics. G. H. Hardy took pride in its uselessness. Two developments changed that. The first was practical: the security of most internet communication rests on the difficulty of factoring large numbers, using results going back to Euler. The second was physical and far stranger.

The [Riemann zeta function](#) encodes the distribution of prime numbers, and the [Riemann hypothesis](#) about its zeros is perhaps the most famous open problem in mathematics. In 1972 Hugh Montgomery found a formula for the statistical spacing of those zeros, and Freeman Dyson recognized it as the formula for the spacing of energy levels in heavy atomic nuclei, described by random matrix theory. Andrew Odlyzko's computations of [millions of zeros](#) confirmed the match to high precision. Independently, [Bohigas, Giannoni and Schmit](#) showed that the energy levels of quantum systems whose classical counterparts are chaotic follow the same statistics. The primes, nuclei and chaotic quantum billiards share a statistical signature. No one knows why the primes do (the mechanism is open), which is why this correspondence appears in Section 11 with a B rather than an A.

A more homely example is [Benford's law](#): in many collections of real-world numbers, such as river areas, populations and physical constants, the leading digit is 1 about 30 per cent of the time and 9 less than 5 per cent of the time. Theodore Hill gave a [statistical derivation](#) in 1995. The law holds for data that are scale-invariant or that mix many distributions, so its appearance is a consequence of how quantities are generated, not a property of the numbers themselves. It is a good example of a numerical regularity that is real, widely observed and fully explained without anything mysterious.

4.5 The numerology trap

The success of formulas like Balmer's invites a dangerous inference: that any striking numerical relationship must be meaningful. The history of physics contains many counterexamples. Arthur Eddington, one of the great astronomers of his time, argued in the 1930s that the inverse fine-structure constant was exactly 136, and then, when measurements improved, exactly 137, by a chain of arguments that convinced almost no one. In 1971 Armand Wyler published a formula built from π and small integers that matched the then-measured value of α to about a part per million. It had no physical derivation, and it is now off by many standard deviations.

How surprised should one be by such a match? This report answers with a simple calculation. Consider all formulas of the form $2^a 3^b 5^c \pi^d e^f$, where a, b and c are integers between $-k$ and k , and d and f are multiples of one half in the same range. Then ask how often a number chosen at random between 1 and 1,000 lies within a given tolerance of some formula's value. Figure 6 shows the result.




Figure 6. Numerical coincidence is cheap. Share of 4,000 random target numbers between 1 and 1,000 that can be matched by a formula $2^a 3^b 5^c \pi^d e^f$ with exponents up to k in size, by tolerance (a). Values of the $k = 3$ formulas between 130 and 144; hundreds lie near $1/\alpha$ (b).

Source: H Heuristics calculation. Exponents of 2, 3 and 5 are integers from $-k$ to k ; exponents of π and e are multiples of $1/2$ in the same range. Targets drawn uniformly in the logarithm.

The results are sobering. With $k = 3$ there are 57,967 distinct formulas. They match 55 per cent of random targets to within 0.01 per cent and every target to within 0.1 per cent. With $k = 4$ the 0.01 per cent match rate rises to 94 per cent. Among the $k = 3$ formulas, 307 have values between 130 and 144, and the closest to $1/\alpha$ is $(3^2 \times 5/2^2) e^{5/2} = 137.053$, which matches the measured value to 0.012 per cent. That formula means nothing. A precision of 0.01 per cent sounds impressive, but when tens of thousands of formulas are implicitly searched, it is what chance delivers.

The lesson is not that numerical relationships are unimportant. It is that a numerical match is evidence only in proportion to how improbable it would be by chance. That depends on the number of formulas that


could have been tried and on the precision of the match. Balmer's formula passes this test because a single simple rule predicts many independent numbers to parts per million. Wyler's formula fails because a single number was matched by one formula out of a very large space. The contrast is a quantitative version of the difference between the first and fifth rungs of the ladder in Figure 2.

4.6 What numbers explain

Layer I establishes three things. Physical quantities have a numerical structure that supports arithmetic, which is why measurement works at all (Grade A). Some physical properties are counted by integers, because quantum mechanics makes certain quantities discrete (Grade A). The fundamental constants are measured with extraordinary precision, but their values are not explained by any current theory (Grade A for the measurement, D for any proposed explanation). The layer also teaches the first methodological lesson of the report. A single numerical coincidence, however precise, is weak evidence. Mathematics reveals structure when one rule compresses many independent numbers, not when one number is matched by one of many rules.

05

LAYER II · GEOMETRY AND SPACE



5. Layer II: Geometry and the Structure of Space

5.1 The question

Research question. How does geometry encode physical relationships, including gravitation?

Geometry began as the measurement of land, and for two thousand years it was regarded as a description of physical space whose truths were necessary and known in advance. The second layer of mathematical reality concerns how that conviction collapsed, and how geometry nevertheless became more central to physics than ever. In modern physics, geometry is not the stage on which events happen. It is part of the action.

5.2 From Euclid to curved spacetime

Carl Friedrich Gauss proved in 1827 that the curvature of a surface can be measured entirely from within it, by making measurements of distances and angles on the surface itself. This result, his *theorema egregium*, meant that a two-dimensional being could discover that its world was curved without ever leaving it. Gauss reportedly measured the angles of a large triangle formed by three mountain peaks to test whether physical space was flat. He found no deviation within his errors. In 1854 Bernhard Riemann generalized Gauss's ideas to spaces of any dimension, whose curvature could vary from point to point. Riemann remarked that whether physical space has such curvature was a question for physics, not mathematics.

Einstein answered it. His [general theory of relativity](#) identifies gravity with the curvature of four-dimensional spacetime. Matter and energy tell spacetime how to curve, and curved spacetime tells matter how to move. The field equations relate a geometric quantity, built from the curvature of the metric, to the density of energy and momentum:

$$G_{\mu\nu} + \Lambda g_{\mu\nu} = (8\pi G / c^4) T_{\mu\nu} \quad (4)$$

The left side is pure geometry: Riemann's mathematics, completed by Ricci and Levi-Civita's tensor calculus in 1900, sixty years before Einstein needed it. The right side is physics. The equation is the purest example in science of a physical law that is a geometric statement. Within seven years [Friedmann](#) had found solutions describing an expanding universe, which [Hubble](#) observed in 1929.

5.3 Testing geometric gravity

General relativity has been tested in every regime accessible to measurement, from laboratory towers to merging black holes. Table 5 summarizes the principal tests. In each case the prediction was derived from the geometry before the measurement was made or made precise.

Table 5. Predictions of geometric gravity and their tests

Effect	Prediction	Measurement	Reference
Perihelion advance of Mercury	43 arcseconds per century beyond Newtonian perturbations	43.1 ± 0.5 arcseconds per century	Clemence, 1947
Deflection of starlight by the Sun	1.75 arcseconds at the solar limb (twice the Newtonian value)	1.98 ± 0.12 and 1.61 ± 0.30 arcseconds in 1919	Dyson, Eddington and Davidson, 1920
Gravitational redshift	Frequency shift of 2.5×10^{-15} over a 22.5 m tower	Confirmed to about 10 per cent	Pound and Rebka, 1960
Satellite clock rates	GPS clocks gain about 38 μ s per day	Corrected continuously in operation	Ashby, 2003
Gravitational waves	Waveform of two merging black holes	Signal GW150914 matching numerical relativity	LIGO and Virgo, 2016
Black-hole shadow	Dark region ringed by light, set by the geometry of photon orbits	Ring of about 42 microarcseconds around M87*	Event Horizon Telescope, 2019

The 1919 eclipse results were less precise than often presented; modern radio measurements confirm the predicted deflection to better than 0.1 per cent.

The GPS case shows that geometric gravity is not only a matter for astronomers. Figure 7 computes the two relativistic effects on an orbiting clock. Because satellite clocks sit higher in Earth's gravitational field, general relativity makes them run faster than clocks on the ground. Because they move, special relativity makes them run slower. At the altitude of GPS satellites, about 20,200 km, the gravitational effect is 45.6 microseconds per day and the velocity effect -7.2, for a net gain of 38.4 microseconds per day. This matches the value of about 38.6 used in practice, which also accounts for Earth's rotation and shape. Since radio signals travel about 30 cm per nanosecond, an uncorrected clock would accumulate a ranging error of about 11.5 km per day. The two effects cancel at an altitude of 3,189 km, exactly half an Earth radius. Below that height, orbiting clocks run slow; the International Space Station's clocks lose about 24.5 microseconds per day.




Figure 7. Geometry in every pocket. Relativistic clock offsets of an orbiting clock relative to the ground, by altitude (a), and the ranging error that would accumulate in GPS without correction (b).

Source: H Heuristics calculation from the weak-field formulas $\Delta f/f = GM/c^2(1/R - 1/r) - GM/(2rc^2)$ for a circular orbit, ignoring Earth's rotation and oblateness. Operational values from [Ashby \(2003\)](#).

5.4 Why three dimensions?

Geometry also bears on a question that sounds metaphysical: why does space have three dimensions? Mathematics cannot answer it directly, but it can show that three is special. In n spatial dimensions, the flux of a force from a point source spreads over a sphere whose area grows as r^{n-1} . So the force falls as $1/r^{n-1}$, and the inverse-square law is a consequence of three-dimensionality. Paul Ehrenfest showed in 1917 that stable planetary orbits are possible only when $n = 3$; with more dimensions, orbits either spiral in or fly apart. Similar arguments apply to atoms. Max Tegmark's analysis of [the dimensionality of spacetime](#) extended these results: with more or fewer than one time dimension, or more than three space dimensions, physics would be either unpredictable or unstable.

These arguments do not explain why there are three dimensions, but they do explain why observers find themselves in a world with three. They are a case of mathematics constraining what kind of universe could contain anyone to observe it. That is the series' first layer of constraint in its purest form.

5.5 Topology: geometry without distance

Topology is the branch of geometry that ignores distances and angles and studies only properties preserved under continuous deformation, such as the number of holes in a surface. Poincaré founded it in 1895 as pure mathematics. Ninety years later it became one of the most productive ideas in condensed-matter physics.

In 1980 Klaus von Klitzing found that the electrical resistance of a two-dimensional electron gas in a strong magnetic field takes [quantized values](#), the von Klitzing constant $h/e^2 \approx 25,812.807$ ohms divided by an integer. They are quantized with a precision of better than a part in a billion, regardless of the sample's impurities or shape. [Thouless, Kohmoto, Nightingale and den Nijs](#) explained why in 1982: the integer is a topological invariant, a Chern number, which cannot change under small deformations any more than a doughnut can lose its hole by being squeezed. Together with [Kosterlitz and Thouless's](#) work on topological phase transitions, this earned the 2016 Nobel Prize in Physics. Topology explains why a messy physical system can produce a perfectly sharp number. The integer is protected by the shape of a mathematical space, not by the cleanliness of the sample.


Geometry also constrains the arrangement of matter. There are exactly [17 wallpaper groups](#) of symmetric patterns in the plane and 230 space groups in three dimensions. The crystallographic restriction theorem proves that a periodic crystal cannot have five-fold rotational symmetry. In 1984 Dan Shechtman found an alloy with sharp five-fold diffraction patterns, a [quasicrystal](#) that is ordered but not periodic. Mathematics had anticipated it: Roger Penrose's aperiodic tilings of the 1970s have exactly this property. Packing problems tell a similar story. Thomas Hales proved Kepler's 1611 conjecture that no packing of spheres is [denser than the familiar stacking of oranges](#), at about 74 per cent, and that the [hexagonal honeycomb](#) divides a plane into equal areas with the least total perimeter. That second result explains why bees, soap films and basalt columns converge on hexagons.

5.6 What geometry explains

Layer II establishes that gravitation is described with high precision as the geometry of spacetime, and that this description has predicted effects, from light bending to gravitational waves, that were later measured (Grade A). It shows that topological invariants explain why some physical quantities are exactly quantized in disordered materials (Grade A), and that geometric theorems constrain the possible arrangements of matter (Grade A). The arguments that three spatial dimensions are uniquely compatible with stable orbits and atoms are mathematically sound, though their implications for why space has three dimensions are interpretive (Grade B). Of the four mechanisms in Section 3, the evidence of this layer weighs most heavily on structural correspondence. Riemannian geometry was not selected from many candidates to fit gravity. It was the only available language in which gravity could be stated as Einstein understood it, and its predictions went well beyond its inputs.

06

LAYER III · SYMMETRY AND CONSERVATION



6. Layer III: Symmetry and Conservation

6.1 The question

Research question. Why are symmetries so central to the formulation of fundamental physical laws?

A symmetry is a transformation that leaves something unchanged. A square looks the same after a quarter turn; a sphere looks the same after any rotation; the laws of physics appear to be the same in London and in Tokyo, today and tomorrow. In the twentieth century, symmetry moved from a property physicists noticed in solutions to the principle from which they derived the laws. This section asks how that happened and what it implies.

6.2 The mathematics of sameness

The mathematical study of symmetry is [group theory](#). A group is a set of transformations that can be combined, that includes doing nothing, and in which every transformation can be undone. Évariste Galois invented the concept around 1830 to understand which polynomial equations can be solved by formulas, a question with no apparent connection to physics. Sophus Lie extended it in the 1870s to continuous transformations such as rotations, whose groups are now called Lie groups. For half a century these remained objects of pure mathematics.

Groups matter for physics because they capture what is *invariant*, and invariants are what physical laws must respect. If the laws are the same in every direction, then any correct law must be expressible in a form that does not change under rotation. That requirement sharply restricts the laws that are possible. In this sense symmetry is a constraint in the language of the series: it removes most of the logically possible laws from consideration before any experiment is done.

6.3 Noether's theorem

The deepest link between symmetry and physics was found by Emmy Noether in 1918, in a paper on [invariant variation problems](#) written while she was helping Hilbert and Klein understand energy conservation in general relativity. [Noether's theorem](#) states that every continuous symmetry of a system's action, the quantity whose stationary value determines the motion, implies a conserved quantity. Figure 8 shows the four best-known cases.




Figure 8. Noether's theorem: every continuous symmetry of the laws implies a conserved quantity. Symmetry under shifts in time implies conservation of energy; under shifts in space, momentum; under rotations, angular momentum; under changes of quantum phase, electric charge.

Source: H Heuristics, after [Noether \(1918; English translation 1971\)](#).

In field theory, the theorem takes the form of a continuity equation for a conserved current j^μ :

$$\partial_\mu j^\mu = 0 \quad (5)$$

The theorem reverses the explanatory order that seems natural. One might think energy is conserved because of some property of energy. Noether showed that energy is conserved *because* the laws of physics do not change over time. Conservation laws, long treated as among the most basic empirical facts, turn out to be consequences of symmetry. And where a symmetry fails, the corresponding conservation law fails with it. In an expanding universe, which is not the same at all times, the energy of light is not conserved: photons lose energy as they are redshifted.

Noether's theorem is a mathematical result, proved, and its physical consequences have been confirmed in every domain tested (Grade A). It is also the clearest example in this report of mathematics explaining a physical fact rather than merely describing it.

6.4 Symmetry as a guide to new physics

Twentieth-century physics turned Noether's insight into a method. Einstein derived special relativity by requiring that the laws of physics be the same for all observers moving at constant velocity, a symmetry that matched the null result of [Michelson and Morley](#). The [gauge theories](#) that describe the electromagnetic, weak and strong forces were built by requiring invariance under local symmetry transformations. The forces then appear as the fields needed to keep that invariance. The Standard Model is specified to a large extent by naming its symmetry group, $SU(3) \times SU(2) \times U(1)$, and the ways in which the particles transform under it.

The most celebrated predictive success of symmetry came in 1962. Murray Gell-Mann and Yuval Ne'eman had independently noticed that the hadrons then known could be arranged in patterns corresponding to representations of the group $SU(3)$, an approach Gell-Mann called the [eightfold way](#).

One pattern, a triangle of ten particles, had nine members known and one missing at the bottom. The pattern implied that the masses should increase in roughly equal steps as strangeness decreased. Gell-Mann predicted the [missing particle](#), its charge, its strangeness and its approximate mass. Figure 9 reconstructs the argument. The known masses step up by an average of 150.7 MeV per unit of strangeness, which puts the missing particle near 1,684 MeV. In 1964 a bubble-chamber experiment at Brookhaven found the [Omega-minus](#) at 1,672 MeV, 0.7 per cent from the prediction, with exactly the predicted charge and strangeness.




Figure 9. Symmetry predicts a particle. The ten baryons of the SU(3) decuplet, arranged by strangeness S (a). The masses known in 1962 step up almost equally; extending the steps predicts the missing Omega-minus at about 1,684 MeV, close to the 1,672 MeV measured in 1964 (b).

Source: H Heuristics calculation using average isospin-multiplet masses from the [Particle Data Group](#): Δ 1,232, Σ 1,385, Ξ 1,533 and Ω^- 1,672 MeV.

Precision has since improved enormously. Computations based on the full theory of the strong force, quantum chromodynamics, now [compute the masses of light hadrons](#), including the proton, from first principles to within a few per cent. In the case of the Omega-minus, mathematics predicted a particle from a pattern before the dynamics that produced the pattern was understood. That is strong evidence that the pattern was real.

6.5 Broken symmetry and the origin of structure

A perfectly symmetric world would be featureless. Much of the structure we see arises when symmetries are broken. Table 6 distinguishes the kinds.

Table 6. Exact, approximate and broken symmetries in physics

Symmetry	Status	Consequence	Evidence
Time and space translation; rotation	Exact as far as tested	Conservation of energy, momentum and angular momentum	All of mechanics; precision tests to many decimal places
Lorentz invariance	Exact as far as tested	Special relativity; speed of light the same for all observers	No violation found in tests reaching parts in 10^{17} and beyond
CPT (charge, parity and time reversed together)	Exact; follows from quantum field theory	Particles and antiparticles have equal masses and lifetimes	Proton–antiproton comparisons; kaon systems
Parity (mirror symmetry)	Broken by the weak force	Neutrinos are left-handed; beta decay favors one direction	Wu experiment, 1957
CP symmetry	Broken (small)	A possible ingredient of the matter–antimatter imbalance	Neutral kaons, 1964; B mesons
SU(3) flavor	Approximate	Hadron multiplets; Omega-minus prediction	Mass patterns accurate to a few per cent
Electroweak gauge symmetry	Spontaneously broken	W and Z bosons acquire mass; photon stays massless	W, Z (1983) and Higgs (2012) discoveries

Spontaneous breaking means the laws keep the symmetry but the lowest-energy state does not, as a pencil balanced on its tip must fall in some direction.

Spontaneous symmetry breaking links Layer III to emergence. When water freezes, the rotational symmetry of the liquid is broken by the crystal lattice. When a magnet cools below its Curie point, the symmetry among directions is broken by the alignment of spins. Philip Anderson's essay [More Is Different](#) (1972) argued that such broken symmetries create new levels of organization with their own laws, which cannot be deduced in practice from the laws beneath them. The mathematics of symmetry breaking is the same in magnets, superconductors and the early universe. The [Higgs mechanism](#) was partly inspired by superconductivity.


6.6 Why symmetry is central

Several reasons for the centrality of symmetry can be distinguished. The first is that symmetry is what makes laws possible at all: a law that held here but not there, or now but not later, would not be a law. The second is that symmetry compresses. Specifying a symmetry group and a few parameters is far shorter than specifying how each particle behaves. The third is that symmetry is often exact, or broken in precisely describable ways, so its predictions can be extraordinarily sharp. The fourth, more speculative, is that symmetry is simply what physical structure is, which is the claim of ontic structural realism. Particles of the same kind are interchangeable, and quantum field theory defines a particle type by how it transforms under the symmetry group.

The first three reasons are uncontroversial (Grade A). The fourth is a philosophical position (Grade D). But together they explain why the search for new physics so often takes the form of a search for larger or hidden symmetries.

07

LAYER IV · EQUATIONS AND DYNAMICS



7. Layer IV: Equations and Dynamical Systems

7.1 The question

Research question. How can relatively simple rules produce unpredictable or highly organized outcomes?

If symmetry tells physics what cannot change, equations tell it how everything else does. The fourth layer concerns the mathematics of change: differential equations, which relate a quantity to its rate of change, and their discrete cousins, iterated maps and cellular automata. Its central lesson, learned only in the twentieth century, is that short rules need not produce simple behavior. The same mathematics that predicts eclipses centuries ahead also proves that some systems cannot be predicted beyond a few days.

7.2 The language of change

Most fundamental laws of physics are differential equations. Table 7 lists the most important. Each is short enough to write on a single line, and each governs an enormous range of phenomena.

Table 7. Some equations that govern the physical world

Equation	Governs	Status	Open problems
Newton's second law with gravitation (1687)	Planetary motion, projectiles, structures, spacecraft	Exact at low speeds and weak fields	Three-body problem has no general closed solution
Maxwell's equations (1865)	Electricity, magnetism, light, radio	Exact classically; quantized in QED	None at classical level
Schrödinger equation (1926)	Atoms, molecules, chemistry, solids	Exact non-relativistically	Interpretation of measurement
Einstein field equations (1915)	Gravity, cosmology, black holes	Confirmed in all tests	Incompatible with quantum theory at the Planck scale
Navier–Stokes equations (1822–45)	Fluids: weather, oceans, blood, flight	Accurate in practice	Existence of smooth solutions unproven (a Millennium Prize problem)
Boltzmann equation (1872)	Dilute gases; approach to equilibrium	Accurate for dilute gases	Rigorous derivation from mechanics (Hilbert's sixth problem)

Dates are of first formulation in essentially modern form.

Maxwell's equations illustrate the unexpected reach of a differential equation. Maxwell found that his equations admitted wave solutions travelling at a speed of $1/\sqrt{(\mu_0\epsilon_0)}$, where μ_0 and ϵ_0 are constants measured in benchtop experiments with magnets and capacitors. Inserting the measured values gives about 3.0×10^8 metres per second, the measured speed of light. Maxwell concluded that light is an electromagnetic wave. Constants from electrical experiments predicted an optical one, because both turned out to be aspects of one structure.

7.3 Nonlinearity and chaos

The equations in Table 7 are deterministic: given the present exactly, they fix the future. For two centuries this was taken to mean that the future is, in principle, predictable. Henri Poincaré found the first crack in the 1890s while studying three bodies moving under gravity: tiny changes in starting positions could lead to wildly different orbits. The full significance emerged in the 1960s and 1970s. Edward Lorenz found [sensitive dependence](#) in a three-variable model of atmospheric convection. Robert May showed that [very simple models](#) of population growth have very complicated dynamics.

May's example is the logistic map, $x_{t+1} = r x_t(1 - x_t)$, in which x is a population as a fraction of its maximum and r a growth rate. Figure 10 shows its long-run behavior. For r below 3 the population settles to a fixed value. Above 3 it alternates between two values, then four, then eight, in a cascade of period doublings that accumulates at $r \approx 3.5699$. Beyond that point most values of r produce chaos: the population never repeats, and its Lyapunov exponent, the rate at which nearby trajectories diverge, is positive. Within the chaos are windows of order, including a period-3 window near $r = 3.83$.




Figure 10. One line of algebra, order to chaos. Long-run values of the logistic map for each growth parameter r , showing period doubling and chaos (a), and the Lyapunov exponent, positive where nearby trajectories diverge exponentially (b).

Source: H Heuristics calculation; 2,400 values of r , 800 transient iterations discarded and 400 retained, after [May \(1976\)](#).

In 1975 Mitchell Feigenbaum noticed that the intervals between successive doublings shrink by a constant factor. This report computes the parameter values at which the map's cycles are most stable for periods 1, 2, 4, up to 2,048. The ratio of successive intervals is 4.709, 4.681, 4.663, and then settles at 4.6692. Feigenbaum proved that [this number is universal](#): the same value, $\delta \approx 4.6692$, appears in every one-dimensional map with a single smooth hump, whatever its formula. It was then measured in convection experiments in liquid helium and in electronic circuits. The [Feigenbaum constant](#) is a number that belongs to the structure of the route to chaos, not to any particular system. It is the first clear example in this report of universality, the third mechanism of Section 3.

7.4 The limits of prediction

Chaos sets a horizon on prediction. In a chaotic system, small errors grow exponentially, roughly as $\delta e^{\lambda t}$, where λ is the largest Lyapunov exponent. Inverting this gives the forecast horizon:

$$T \approx (1/\lambda) \ln(\Delta / \delta) \quad (6)$$

where δ is the initial error and Δ the largest error that can be tolerated. Figure 11 tests this in the Lorenz system. Two runs that start 10^{-9} apart track each other closely for about 24.3 time units, then separate completely. The Lyapunov exponent computed here is 0.89, close to the published value of about 0.91. The horizon grows only logarithmically with precision. Each tenfold improvement in the initial measurement buys about 2.59 time units of forecast. Improving precision from 10^{-1} to 10^{-14} , thirteen orders of magnitude, extends the horizon from about 2.6 to about 34 units.




Figure 11. Deterministic, yet unpredictable. Two runs of the Lorenz system starting 10^{-9} apart, shown in the x - z plane around the time they diverge (a). Their separation grows exponentially at the Lyapunov rate (b). The forecast horizon grows only with the logarithm of the initial precision (c).

Source: H Heuristics calculation; Lorenz (1963) parameters $\sigma = 10$, $\rho = 28$, $\beta = 8/3$, fourth-order Runge–Kutta integration with step 0.005, horizon defined as separation exceeding 1 and taken as the median over 24 starting points.

This is why weather forecasts lose skill after one to two weeks, however good the models and observations become. It is also an important finding for the central question. Mathematics can prove that a system is unpredictable, and can say exactly how unpredictable it is. The limit is not a failure of mathematics but a mathematical result about the world. Determinism and predictability are different properties, and only mathematics could have shown that.

7.5 Simple rules, complex outcomes

Differential equations are not the only compact rules that generate complexity. Stephen Wolfram's study of [cellular automata](#) in the 1980s examined the simplest possible case: a row of cells, each black or white, updated in steps according to the colors of the cell and its two neighbors. There are only 256 such rules, each specified by eight bits. Figure 12 runs all of them from random starting rows and measures how far a standard compression algorithm can shrink the result.




Figure 12. Eight-bit rules, outputs of every kind. Four elementary cellular automata (a); Rules 30, 90 and 110 are shown from a single black cell and Rule 184 from a random row. Compressibility of all 256 rules from random starting rows (b): most produce highly ordered patterns, a few produce intermediate structure, and some produce output that a standard compressor cannot shrink.

Source: H Heuristics calculation; 301 cells, 300 steps with the first 50 discarded, periodic boundaries, two random starts per rule, zlib compression at level 9 relative to random bits. Thresholds: ordered below 15 per cent, random-looking above 85 per cent.

Of the 256 rules, 202 produce highly ordered patterns that compress to less than 15 per cent of the size of random bits. Another 32 produce intermediate structure, and 22 produce output that looks random to the compressor. Rule 30, started from a single black cell, produces a pattern so irregular that it has been used to generate random numbers. Rule 110 produces interacting localized structures and was later proved to be [computationally universal](#): with a suitable starting row it can carry out any computation a computer can. A rule specified by eight bits can therefore be as complex as anything that can be computed.

The same lesson appears in biology. Alan Turing showed in 1952 that two chemicals that react and diffuse at different rates can spontaneously form [spots and stripes](#) from a uniform start, a mechanism since supported in several developmental systems. Turing's equations are a few lines long; their solutions decorate animals. Simple rules explain complex structure, but they also show that complex structure does not require complex causes, which bears on how much should be read into it.

7.6 Chaos or noise?

A practical consequence of this layer is a test. If a time series looks irregular, is it chaos from a few deterministic variables or noise from many random influences? [Sugihara and May](#) showed that the two can be distinguished by how forecast accuracy declines with lead time. Chaos is predictable in the short


term and loses accuracy at a characteristic rate, while noise is unpredictable at every horizon. Such methods have identified low-dimensional chaos in some ecological and physiological series and its absence in others. Mathematics here does more than describe: it lets observation decide between two kinds of world.

7.7 What dynamics explains

Layer IV establishes that the fundamental laws of physics take the form of compact differential equations (Grade A). It shows that deterministic rules can produce behavior that is unpredictable in practice, with a horizon that mathematics can calculate (Grade A). Some features of the route to chaos, such as the Feigenbaum constant, are universal across systems with different physics (Grade A). Rules a few bits long can generate structures of unlimited complexity, including universal computation (Grade A). The layer adds an important qualification to the success of mathematics. Mathematics describes the *rules* of most physical systems compactly, but it cannot always compress their *outcomes*. In chaotic and computationally irreducible systems, the only way to find out what happens may be to let it happen, or to simulate it step by step.

08

LAYER V · SCALING AND FRACTALS



8. Layer V: Scaling, Fractals and Recurring Patterns

8.1 The question

Research question. Why do certain mathematical patterns recur across different scales and domains?

The fifth layer concerns patterns that repeat: across sizes, as when a coastline looks equally jagged at every magnification, and across domains, as when magnets and boiling liquids obey the same equations near their critical points. These recurrences are the most visible evidence for the Mathematical Architecture Hypothesis. They are also where the greatest volume of overstatement is found. This section separates the recurrences that have a mathematical explanation from those that are artifacts of how data are plotted.

8.2 Power laws and scale invariance

A power law relates two quantities as $y = a x^b$. Its defining property is scale invariance. Multiplying x by any factor multiplies y by a fixed factor, so the relationship looks the same at every scale. On a plot with logarithmic axes, a power law is a straight line with slope b . Some power laws follow directly from physics. Kepler's third law, that the square of a planet's period is proportional to the cube of its distance, is a power law with exponent $3/2$. It follows exactly from Newton's inverse-square law (Section 11 tests it on nine bodies). Andrey Kolmogorov predicted in 1941 that the energy in a turbulent fluid is distributed across eddy sizes as a [power law with exponent \$-5/3\$](#) , using only dimensional analysis and an assumption about how energy cascades. The prediction has been confirmed in wind tunnels, oceans and the atmosphere.

These are power laws with mechanisms. Others are empirical: Zipf's law for city sizes and word frequencies, the Gutenberg–Richter law for earthquakes, and the distribution of wealth described by Pareto. Whether these share a deep explanation has been debated for a century. Mark Newman's [review](#) identified several distinct mechanisms that generate power laws, including preferential attachment, multiplicative growth with a lower bound, and critical phenomena. Different mechanisms can produce the same exponent, so a shared exponent is not evidence of a shared cause.

8.3 Universality and the renormalization group

The strongest form of cross-domain recurrence occurs near [critical points](#), where a system is poised between two phases. At the critical point of a liquid and its vapour, the difference between their densities vanishes as a power of the distance from the critical temperature. In 1945 Edward Guggenheim showed

that eight simple fluids, from neon to methane, collapse onto a [single curve](#) when scaled by their critical values, with an exponent close to $1/3$. The same exponent describes the vanishing magnetization of a magnet near its Curie point. A magnet and a fluid have nothing physical in common: one involves electron spins on a lattice, the other molecules moving freely.

The explanation came from the [Ising model](#), a lattice of spins that can point up or down and prefer to align with their neighbors. In 1944 Lars Onsager solved the two-dimensional model [exactly](#), one of the great feats of mathematical physics. Figure 13 compares a simulation of a 96×96 lattice with the exact magnetization formula derived by Onsager and C. N. Yang. Below the critical temperature $T_c = 2.269$ in natural units, the simulation matches the exact curve to within 0.0004 on average. Above it, the magnetization falls to zero, apart from finite-size effects.




Figure 13. Different systems, shared exponents. Magnetization of a simulated two-dimensional Ising model against the exact Onsager–Yang solution (a). Near a critical point, the order parameter vanishes as a power of the distance from it, with an exponent β fixed by the universality class rather than by the material (b); simple fluids follow the three-dimensional Ising class, not mean-field theory.

Source: H Heuristics calculation; Metropolis Monte Carlo with checkerboard updates, 2,600 sweeps per temperature with 600 discarded. Exponents: mean-field $1/2$, 2D Ising $1/8$ (exact), 3D Ising 0.326 (numerical); fluid exponent from [Guggenheim \(1945\)](#).

Why do different systems share exponents? [Leo Kadanoff](#) suggested in 1966 that near a critical point, the system looks the same when viewed at coarser scales, so blocks of spins behave like single spins. Kenneth Wilson turned this into the [renormalization group](#) in 1971, a mathematical procedure that tracks how the description of a system changes as it is viewed at larger scales. Most microscopic details become irrelevant under repeated coarse-graining. What survives are a few features: the dimension of space, the symmetry of the order parameter and whether interactions are short- or long-ranged. Systems that share these features fall into the same [universality class](#) and have identical critical exponents, whatever they are made of.

Universality is the clearest scientific answer to the question of why the same mathematics recurs. It is not a coincidence or a matter of description. It is a theorem-like consequence of how information about microscopic details is lost at large scales (Grade A for the theory and its confirmation in critical phenomena). It also explains why physics works at all without a final theory. Effective descriptions at one scale are insensitive to most details at smaller scales, so each level of description can be studied on its own.

8.4 Fractals

In 1967 Benoît Mandelbrot asked [How Long Is the Coast of Britain?](#) The answer depends on the ruler. Using Lewis Fry Richardson's measurements, Mandelbrot showed that the measured length grows as the ruler shrinks, following a power law whose exponent defines a fractional dimension. The west coast of Britain has a dimension of about 1.25, between that of a smooth curve (1) and a filled plane (2). Mandelbrot coined the word *fractal* for such objects and argued that they are nature's typical geometry: clouds, mountains, rivers, lungs and blood vessels are irregular at every scale.

Figure 14 measures the dimension of two curves by [box counting](#): covering the curve with boxes of size ϵ and recording how the number of boxes $N(\epsilon)$ grows as ϵ shrinks. For the Koch snowflake curve, whose exact dimension is $\log 4 / \log 3 \approx 1.262$, the estimate is 1.283. For a random coastline with a theoretical dimension of 1.25, generated by a statistically self-similar process, the estimate is 1.205. Both are within a few per cent of theory, a reminder that fractal dimensions estimated from finite data carry real uncertainty.




Figure 14. Measuring a fractional dimension. An exactly self-similar Koch curve and a statistically self-similar random 'coastline' (a). The number of boxes needed to cover each grows as a power of the inverse box size, with slope equal to the fractal dimension (b); a smooth curve would have slope 1.

Source: H Heuristics calculation; Koch curve to 7 iterations; coastline by random midpoint displacement with Hurst exponent 0.75 (dimension $2 - H = 1.25$) and 2^{15} segments.

Fractal geometry is a genuine discovery about natural form (Grade A as a description; B for most proposed generating mechanisms). Branching networks such as lungs and river basins do have self-similar structure over a range of scales, typically two to four orders of magnitude, not indefinitely. The range matters: a pattern that is self-similar over one decade of scale is weak evidence of anything.

8.5 Scaling in living systems and cities

In 1932 Max Kleiber found that the [metabolic rate of animals](#) scales roughly as body mass to the $3/4$ power, across sizes from mice to steers. Because surface area scales as mass to the $2/3$ power, the exponent was surprising. In 1997 Geoffrey West, James Brown and Brian Enquist proposed that it reflects the [geometry of branching transport networks](#), which fill space, end in units of fixed size and minimize energy loss. The model derived $3/4$ from these assumptions and became one of the most cited papers in biology.

The evidence since has been mixed. Analyses of mammalian basal metabolism found an exponent [closer to 2/3](#). A large data set showed [curvature](#) in the log-log relationship, so no single exponent fits all sizes. A review documented [wide variation](#) in exponents between groups, activity levels and temperatures. The 3/4 law is a useful empirical approximation; whether it is a universal law with a geometric explanation remains contested (Grade C).

[Bettencourt and colleagues](#) found that many urban quantities scale with city population as power laws. Socioeconomic outputs such as wages, patents and GDP rise faster than population, with exponents near 1.15, while infrastructure such as road length rises more slowly, near 0.85. The finding is robust in many data sets. Its interpretation as a law analogous to biological scaling, and the exponents' sensitivity to how city boundaries are drawn, are debated (Grade B for the regularity, C for the general theory).

8.6 When is a power law real?

Claims of power laws in data have become so common that statisticians have warned about them. A straight line on a log-log plot is weak evidence. Many distributions look roughly straight over a limited range, and fitting a line by least squares to a log-log plot gives biased exponents and no test of the alternative. [Clauset, Shalizi and Newman](#) developed a rigorous procedure based on maximum likelihood and goodness-of-fit tests. Applied to two dozen data sets for which power laws had been claimed, it found that a power law was clearly favored in only a minority. [Stumpf and Porter](#) argued that a power law should be claimed only with both statistical support and a plausible mechanism. [Broido and Clauset](#) tested nearly 1,000 real networks for the scale-free degree distributions often claimed to be universal. They found the strongest evidence for scale-free structure in only 4 per cent, and the weakest form of evidence in about half.

Figure 15 shows why. A sample of 3,000 values from a true power law gives a straight-line fit with $R^2 = 0.998$. A sample from a lognormal distribution, which is not a power law, gives $R^2 = 0.959$, a fit many published papers would accept. The straight-line slope implies a power-law exponent of 2.12, but the maximum-likelihood estimate is 1.83. A likelihood-ratio test correctly rejects the power law in favor of the lognormal, with $p \approx 5 \times 10^{-28}$. Notably, the same test applied to the true power-law sample cannot distinguish it from a lognormal ($p = 0.54$). Even genuine power laws are hard to confirm from a few thousand points.




Figure 15. A straight line on a log-log plot is weak evidence. Complementary cumulative distributions of 3,000 samples from a true power law (a) and from a lognormal distribution (b), with least-squares straight-line fits. Both fits look good; only a likelihood-ratio test separates them, and it cannot confirm the true power law.

Source: H Heuristics calculation; power law with density exponent 2.5 and minimum 1; lognormal with $\mu = 0.3$ and $\sigma = 1.4$ truncated below 1; maximum-likelihood fits and the normalized likelihood-ratio test of [Clauset, Shalizi and Newman \(2009\)](#).

Self-organized criticality, proposed by [Bak, Tang and Wiesenfeld](#) in 1987, offered a general mechanism by which systems drive themselves to a critical state and produce power laws without tuning. It applies well to some systems, such as certain sandpile and granular experiments, and has been proposed for earthquakes, forest fires and neural activity. Its scope remains debated. The general lesson of this layer is that scaling is real and important, but that the claim of a universal scaling law needs both statistics and mechanism.

8.7 The golden ratio and the golden angle

No mathematical pattern has been more overstated than the golden ratio, $\phi = (1 + \sqrt{5})/2 \approx 1.618$. It is claimed to govern the Parthenon, the Mona Lisa, the proportions of the human body, the spiral of the nautilus shell and the movements of financial markets. Careful measurement finds most of these claims unsupported. The Parthenon's proportions depend on which points are measured. The nautilus spiral grows by a ratio that varies between shells and is usually not ϕ . Fibonacci retracements in trading have no demonstrated predictive value. These belong on the fifth rung of the ladder, and many do not even qualify as analogies.

But one appearance of ϕ is real and explained. In many plants, successive leaves, florets or seeds are placed at an angle of about 137.5° to one another. This is the [golden angle](#), $360^\circ \times (1 - 1/\phi)$. The resulting spirals come in Fibonacci numbers, such as 34 and 55 in a sunflower head. Helmut Vogel's [model](#) shows why the angle matters. Figure 16 places seeds at the golden angle and at nearby angles. At 137.0° the seeds fall into radial arms with gaps; at 138.5° they form even more obvious spokes; at 137.508° they pack evenly at every stage of growth. The closest spacing between seeds, taken at the worst stage of growth, is 1.62 units at the golden angle against 1.05 at 137.0° .




Figure 16. The golden angle in plants. Seeds placed at successive angles of 137.0° , 137.508° (the golden angle) and 138.5° , with radius growing as the square root of seed number (a). The closest spacing between seeds at the worst stage of growth, across divergence angles (b): small departures from the golden angle produce poor packing.

Source: H Heuristics calculation using [Vogel's \(1979\)](#) model; worst case taken over 150, 300, 600 and 1,200 seeds, ignoring the innermost fifth.

Why should plants find this angle? The golden ratio is, in a precise sense, the hardest number to approximate by fractions. So successive seeds placed at the golden angle never line up into radial rows at any scale. [Douady and Couder](#) reproduced the pattern in 1992 with drops of ferrofluid falling onto a plate in a magnetic field. Each new drop moved to the place farthest from its predecessors, and the drops spontaneously settled at the golden angle. The pattern needs no genetic blueprint for ϕ , only a growth rule in which each new element avoids the previous ones. Several other irrational angles pack nearly as well, and some plants use them. This is a mathematical explanation in the sense of Section 2: a fact about numbers, together with a simple physical rule, explains a fact about plants (Grade B).

Table 8. The status of some claimed scaling laws and recurring patterns

Pattern	Claim	Evidence	Grade
Kepler's third law	$T^2 \propto a^3$ for orbits around one body	Exact consequence of Newtonian gravity; fitted exponent 1.4998 for nine bodies (Section 11)	A
Critical exponents	Shared within universality classes	Exact solutions, renormalization group, decades of experiments	A
Kolmogorov -5/3 spectrum	Energy across eddy sizes in turbulence	Confirmed widely; small corrections debated	A–B
Golden angle in phyllotaxis	Common divergence angle 137.5°	Measured in many species; physical model and experiment	B
Fractal coastlines and branching	Self-similarity over a range of scales	Measured, typically over two to four decades	B
Urban scaling	Exponents near 1.15 and 0.85	Robust in many data sets; sensitive to boundary definitions	B–C
Kleiber's 3/4 law	Universal metabolic exponent with network origin	Exponents vary from about 2/3 to 1; curvature observed	C
Scale-free networks	Power-law degree distributions are universal	Strong evidence in about 4 per cent of 1,000 networks	C–D
Golden ratio in art, anatomy and markets	ϕ governs beauty and prices	Largely unsupported on careful measurement	D

Grades assess the claim as stated in the second column, not the existence of the phenomenon.

8.8 What scaling explains

Layer V provides the most direct support for the Mathematical Architecture Hypothesis and the most vivid warnings about its misuse. Universality explains why identical mathematics, down to the value of exponents, recurs in physically unrelated systems near critical points (Grade A). Fractal geometry describes many natural forms over finite ranges of scale (Grade A–B). Some biological and social scaling laws are robust empirical regularities with contested explanations (Grade B–C). Many claims of universal power laws, and almost all claims about the golden ratio, fail careful testing. The difference between the two groups is precisely the difference that condition (3) of Section 3 is designed to detect: whether the shared mathematics comes with a shared mechanism and transferable predictions, or only a shared shape on a graph.

09

LAYER VI · PROBABILITY AND INFORMATION



9. Layer VI: Probability, Information and Emergence

9.1 The question

Research question. How does mathematics connect microscopic interactions to macroscopic structure?

The air in a room contains about 10^{27} molecules, each moving unpredictably. Yet the room has a definite temperature and pressure, related by a simple law. The sixth layer concerns this transition from many uncertain parts to a few certain wholes. Its mathematics, probability, statistical mechanics, information theory and network science, explains how order can emerge from disorder without anyone arranging it. It is also the layer in which mathematics turns out to describe not only matter but knowledge about matter.

9.2 Laws from chance

The foundation of the layer is a pair of theorems about averages. The law of large numbers says that the average of many independent random quantities approaches its expected value. The [central limit theorem](#) says more: the *fluctuations* of that average approach a normal (Gaussian) distribution, whatever the distribution of the individual quantities, provided their variance is finite. That is why the bell curve appears in measurement errors, heights and the positions of diffusing particles. It is not because nature prefers it, but because sums of many small independent effects converge to it.

Figure 17 shows how fast. Even for a strongly skewed quantity, an exponential waiting time, the average of 10 values is already close to normal, and of 50 values nearly indistinguishable from it. The largest gap between the two cumulative distributions falls from 0.159 for single values to 0.0134 for averages of 100 and 0.00133 for averages of 10,000. It shrinks precisely as $1/\sqrt{n}$, the rate predicted by the Berry–Esseen theorem.




Figure 17. Why the bell curve is everywhere. Distribution of standardized averages of n exponential (strongly skewed) values, compared with the normal curve (a). The maximum gap between the cumulative distributions shrinks as $1/\sqrt{n}$ (b).

Source: H Heuristics calculation using the exact distribution of averages of exponential variables (gamma distributions).

The theorem also has a precise boundary. When individual quantities have infinite variance, as in power-law distributions with small exponents, sums converge not to the normal curve but to other stable distributions with heavy tails. Financial returns and some natural hazards behave more like these. Knowing which regime applies is the difference between a risk model that works and one that fails exactly when it matters.

9.3 Statistical mechanics: order from counting

Statistical mechanics, founded by Maxwell, Boltzmann and Gibbs, derives the laws of thermodynamics from probability. Its central idea is Boltzmann's: the entropy of a macroscopic state measures the number W of microscopic arrangements compatible with it,

$$S = k_B \ln W \quad (7)$$

Systems move toward macrostates with more microstates simply because there are more of them. The second law of thermodynamics, which the series examined in [The Architecture of Entropy](#), becomes a statement about overwhelming probability.

A simple model shows how this works. Start a population of agents with equal holdings of some conserved quantity, energy in a gas or money in a closed economy. Let random pairs meet and split their combined holdings at random. No agent is favored. Figure 18 shows what happens. After a single round the distribution is already spread out. Within a few rounds it has converged to the exponential [Boltzmann–Gibbs distribution](#), the same distribution that describes the energies of molecules in a gas, and its entropy has reached the maximum possible for a fixed total. In the final state the richest 10 per cent hold 33 per cent of the total, and the Gini coefficient is 0.51, both matching the values for an exact exponential distribution.




Figure 18. Equal shares become unequal by chance alone. Distribution of a conserved quantity among 20,000 agents who start with 100 each and exchange at random, after 1 to 400 rounds, against the exponential law (a). The entropy of the distribution rises to the maximum possible at fixed total within a few rounds (b).

Source: H Heuristics calculation of a random-exchange model; each round pairs all agents at random and splits each pair's combined holding uniformly at random. After [Drăgulescu and Yakovenko \(2000\)](#).

[Drăgulescu and Yakovenko](#) proposed this model for money and found that the incomes of the lower 97 per cent of the population in several countries follow an exponential distribution, while the top few per cent follow a power law. The correspondence between gas molecules and incomes is mathematically exact for the model. Whether the model captures why incomes are distributed as they are is much less certain (Grade C). It is a good illustration of the gap between an identity and an explanation.

[Edwin Jaynes](#) showed in 1957 why the exponential appears. Among all distributions with a given mean, it has the largest entropy, and is therefore the least biased choice consistent with what is known. On this view statistical mechanics is a form of inference: the predictions of thermodynamics are what one should expect given only a few constraints. The maximum-entropy principle has since been applied to ecology, linguistics and neuroscience, with mixed but often useful results.

9.4 Information as a physical quantity

In 1948 Claude Shannon published [A Mathematical Theory of Communication](#). It defined the information content of a message source as $H = -\sum p_i \log p_i$, a formula with the same form as Gibbs's entropy. For decades the resemblance was debated: was it a deep connection or a coincidence of notation? It turned out to be deep. Rolf Landauer argued in 1961 that [erasing one bit of information](#) must dissipate at least $k_B T \ln 2$ of heat, about 3×10^{-21} joules at room temperature. In 2012 an experiment with a single colloidal particle in an optical trap [confirmed the bound](#). Information is physical: it has a thermodynamic cost.

The connection runs deeper still. Jacob Bekenstein showed that a black hole has an entropy [proportional to the area of its horizon](#), not its volume. That suggests the information a region can contain is bounded by its surface. Seth Lloyd estimated that the observable universe could have performed at most about 10^{120} elementary operations on about 10^{90} bits [since the Big Bang](#). David Deutsch argued that the [Church–Turing principle](#), that every finitely realizable physical system can be simulated by a universal computer, is a physical claim rather than a mathematical one. These results make information theory a branch of physics as well as of mathematics, and they underlie the speculation that information is more fundamental than matter (Grade D).

Table 9. Probability and information: core results and their physical status

Result	Statement	Physical role	Grade
Central limit theorem	Sums of many independent finite-variance effects become Gaussian	Measurement error, diffusion, fluctuations	A
Boltzmann entropy	$S = k_B \ln W$	Foundation of thermodynamics; the second law as probability	A
Maximum entropy	The least-biased distribution given constraints	Equilibrium distributions; inference	A (theorem); B (scope)
Shannon entropy and coding theorems	Limits on compression and reliable communication	All digital communication and storage	A
Landauer's principle	Erasing a bit costs at least $k_B T \ln 2$	Thermodynamics of computation; confirmed in 2012	A
Born rule	Quantum probabilities are squared amplitudes	All quantum measurement	A
Bell's theorem	No local hidden-variable theory reproduces quantum predictions	Quantum randomness is not ignorance of local variables	A
Bekenstein bound	Entropy of a black hole $\propto$ horizon area	Possible limit on information density	B

Grades refer to the mathematical result and its confirmed physical application; interpretations, such as which interpretation of quantum mechanics is correct, are not graded here.

9.5 Probability at the foundation

Classical statistical mechanics uses probability to describe ignorance of microscopic details that are, in principle, determined. Quantum mechanics put probability into the foundations. [Born's rule](#) of 1926 says that the square of the wavefunction's amplitude gives the probability of a measurement outcome. John Bell proved in 1964 that no theory in which outcomes are determined by local hidden variables can reproduce all [quantum predictions](#). A [loophole-free experiment](#) in 2015 confirmed that nature violates Bell's inequality. Whatever the correct interpretation of quantum mechanics, its probabilities are not simply ignorance of local facts. For the central question, this means one of the deepest layers of physics is irreducibly described by a branch of mathematics, probability theory, that was developed in the seventeenth century to analyze games of chance.

9.6 Networks and collective behavior

Many emergent phenomena depend less on what the parts are than on how they are connected. Network science provides the mathematics. [Watts and Strogatz](#) showed in 1998 that adding a few random long-range links to a regular network sharply shortens path lengths while preserving local clustering, the small-world property found in social, neural and power networks. [Barabási and Albert](#) showed in 1999 that growth with preferential attachment produces highly skewed degree distributions, though, as Section 8 noted, strictly scale-free networks are rarer than first claimed. [Molloy and Reed](#) derived the condition under which a random network with any given degree distribution acquires a giant connected component.

Network mathematics transfers across domains with unusual precision. Mark Newman showed that the spread of an epidemic on a contact network maps exactly onto [bond percolation](#), so the final size of an outbreak equals the size of a percolation cluster. [Pastor-Satorras and Vespignani](#) then predicted from the mathematics of heterogeneous networks that, on networks with sufficiently skewed degree distributions,


epidemics have no threshold: even weakly infectious agents can spread. Synchronization offers another example. The [Kuramoto model](#) of coupled oscillators describes fireflies flashing in unison, pacemaker cells in the heart and generators in a power grid, with a sharp transition to synchrony when coupling exceeds a critical value. Section 11 examines one of these transfers in detail.

9.7 What probability explains

Layer VI establishes that macroscopic regularities such as temperature, pressure and the bell curve follow mathematically from the statistics of many microscopic events (Grade A). Information has a physical cost and a physical bound (Grade A for Landauer; B for the Bekenstein bound as a general limit). Probability enters the foundations of physics irreducibly (Grade A). Network mathematics transfers quantitatively across systems with different components (Grade A–B). This layer gives the clearest scientific account of emergence: large-scale order follows from counting, averaging and connectivity, not from any additional ingredient. It also shows that the mathematics of uncertainty is not a confession of ignorance. It is one of the most precise tools physics has.

10

LAYER VII · WHY MATHEMATICS WORKS



10. Layer VII: Why Mathematics Describes Reality

10.1 The question

Research question. Does the mathematical structure of our best scientific theories reflect the underlying nature of reality, or the way human minds organize observations?

The six layers below this one describe *how* mathematics meets the world. This layer asks *why* it can. The question is philosophical, but it is not idle, and it is not beyond the reach of evidence. Each answer makes bets about the patterns traced in Sections 4 to 9: where mathematics succeeds, where it fails, what survives theory change and what transfers across domains. This section evaluates the three major positions against those patterns, without presenting any metaphysical claim as an established scientific fact.

Figure 19 summarizes the three positions, and Table 10 compares them in more detail.




Figure 19. Three positions on why mathematics describes reality, ordered by the strength of their claim about what reality is. Each explains some features of mathematical success well and struggles with others.

Source: H Heuristics, drawing on the [Stanford Encyclopedia of Philosophy](#) and the literature reviewed in Section 2.

10.2 Mathematics as a descriptive language

On the first view, mathematical structures are human-developed tools for representing patterns and making predictions about an independently existing physical world. Mathematics is like a language or a map: enormously useful, shaped by its users and their purposes, but not itself part of the territory. Versions include [formalism](#), [fictionalism](#), nominalism and the embodied-cognition account of Lakoff and Núñez.

The view has real strengths. It explains why mathematical description is always approximate and idealized: frictionless planes, point masses and infinite populations do not exist. It explains why different mathematical formalisms can describe the same physics. Quantum mechanics can be written with matrices, wave functions or path integrals, and classical mechanics in the Newtonian, Lagrangian or Hamiltonian form, which suggests the mathematics is a choice of representation. It fits the historical and cognitive evidence that mathematics grows from human practices of counting, measuring and reasoning. And it fits Hamming's observation that mathematics is much less effective in biology, psychology and economics, where human interest is just as strong but regularities are weaker.

Its central weakness is the record of novel prediction. If mathematics merely re-describes what has been observed, it is hard to see why structures invented for internal reasons should predict new particles, new waves and new geometric effects, often to many decimal places. Defenders reply that the predictions came from physical assumptions plus mathematics, not from mathematics alone, and that selection explains much of the rest. Those replies have force for the lower rungs of the ladder in Figure 2. They have much less for cases such as the Omega-minus or the quantized Hall resistance, where mathematical structure, a symmetry group or a topological invariant, did the predictive work directly.

10.3 Mathematics as a discovery of structure

On the second view, mathematical objects and relationships capture objective structural properties of reality, even though mathematical notation and theories are human creations. The world has structure, such as symmetries, invariants, dimensions and patterns of dependence, and mathematics is the systematic study of possible structures. Physics discovers which ones are instantiated. Versions include Worrall's epistemic [structural realism](#), Ladyman's ontic structural realism and forms of Platonism restricted to structures.

This view explains what the first view struggles with. Novel predictions are expected, because a structure that is really present has consequences beyond those used to identify it. The survival of mathematical structure across theory change, Fresnel's equations in Maxwell's theory and Newton's law as a limit of Einstein's, is expected, because the structure was right even when the ontology was wrong. Cross-domain recurrence is expected too. Systems with different substances but the same structure should obey the same mathematics, which is exactly what universality shows. The view also accommodates genuinely mathematical explanations, such as the cicadas' prime periods and the bees' hexagons, in which a structural fact explains a physical one.

Its weaknesses are conceptual. It is not clear what structure is if it is not the structure *of* something. Epistemic structural realism says we know only structure, which invites the question of what the structure relates. Ontic structural realism says structure is all there is, which some critics regard as incoherent. The view also needs a principled way to separate the structure that is real from the mathematical surplus in a theory: the gauge freedom, the coordinate choices and the infinities that every physical theory carries.

10.4 Mathematics as the foundation of reality

The third and strongest view holds that reality is, at its deepest level, mathematical structure rather than merely something describable by mathematics. Its modern form is Tegmark's [Mathematical Universe Hypothesis](#); its ancient form is Pythagoreanism. Related ideas include Wheeler's slogan *it from bit*, which takes information to be fundamental, and digital physics, which treats the universe as a computation.

The view's great attraction is economy. It answers Wigner's question completely: mathematics describes reality perfectly because reality is mathematics, and any residual imprecision is ours. It also removes the puzzle of why there is a gap between the description and the described. Tegmark argues that it makes testable predictions, for instance that we should expect to find ourselves in a typical mathematical structure that admits observers. He also argues that physics should never encounter a feature that resists mathematical description.

The difficulties are severe. First, testability. The prediction that physics will remain mathematical is also made by the other views. The typicality prediction requires a measure over all mathematical structures, and no one knows how to define one. Second, Gödel. Many mathematical structures, including arithmetic, cannot be completely described by any consistent set of axioms, so it is unclear what it would mean for the universe to *be* such a structure. Restricting the hypothesis to computable structures avoids this but is an additional assumption. Third, the gap between structure and experience. The view must explain why some structures are experienced as physical and conscious. Saying that self-aware substructures perceive themselves as living in a physical world restates the problem rather than solving it. The hypothesis remains controversial and is not an established scientific conclusion (Grade D).

Table 10. Three positions on why mathematics describes reality, compared

	Descriptive language	Discovery of structure	Foundation of reality
Core claim	Mathematics is a human tool for representing an independent world	Mathematics captures objective structural features of the world	The world is a mathematical structure
Explains well	Idealization; multiple formalisms; human origins; weak success outside physics	Novel prediction; survival of structure across theory change; universality	Why mathematics works at all; no gap between description and reality
Struggles with	Precise novel predictions from abstract structures	What structure is without things; separating real structure from surplus	Testability; the measure problem; Gödel; experience
Prediction	Success tracks human effort and interest	Success tracks shared structure, not shared substance	No physical feature will resist mathematical description
How evidence could weaken it	Continued successful prediction of unforeseen phenomena by abstract structure	Theory changes that discard core mathematical structure	A physical feature proven non-mathematical; no definable measure
Report's grade	C (as a full account)	C (best supported)	D

The positions are not mutually exclusive in every respect; many philosophers combine a descriptive view of notation with a realist view of structure. Grades describe support from argument and from fit with scientific practice.

10.5 Explaining the effectiveness

The positions are general. The effectiveness of mathematics has more specific candidate explanations, which can be compared by what each predicts. Table 11 lists six.

Table 11. Candidate explanations for the effectiveness of mathematics, and what each predicts

Explanation	Mechanism	Predicts	Evidence in this report	Weight
Selection	Scientists choose tractable problems and suitable mathematics	Success concentrated where effort is	Real: weaker success in biology and economics; many unused structures	Partial
Co-development	Much mathematics was built to solve physical problems	Applied mathematics fits its original domain	Real for calculus, Fourier analysis, probability; not for groups, spinors, topology	Partial
Compressibility	Nature contains regularities; mathematics compresses them	Success where data are compressible; failure for chaos and history	Strong: Balmer, Kepler, Noether; limits in chaotic and computational systems	Major
Universality	Collective behavior depends on few structural features	Same mathematics across unrelated systems, exactly in the limit	Strong: critical exponents, Feigenbaum, one equation for three systems	Major
Cognitive and evolutionary fit	Minds evolved to track environmental structure	Basic mathematics is intuitive; advanced mathematics is not	Supported for number sense; cannot explain abstract predictions	Minor
Structural identity	Physical structure is mathematical structure	No limit to mathematical description	Unresolved; consistent with but not required by the evidence	Open

Weights are the report's judgment of how much of the effectiveness each explanation accounts for, based on Sections 4 to 9.

The pattern is informative. Selection and co-development remove much of the surprise but not the hardest cases. Compressibility and universality do most of the remaining work, and both are facts *about the world*: that nature is compressible and that collective behavior is insensitive to detail. The cognitive explanation accounts for the beginnings of mathematics, not its reach. Structural identity remains possible but is not needed to explain anything the others cannot. The combined explanation therefore points toward the second position. Mathematics works because the world has structure of a particular kind, compressible, shared and invariant, and mathematics is the study of structure.

10.6 The unreasonable ineffectiveness

Any honest account must also explain where mathematics works poorly. The mathematician Israel Gelfand remarked that the only thing more unreasonable than the effectiveness of mathematics in physics is its ineffectiveness in biology. Kumaraswamy Velupillai wrote of [the unreasonable ineffectiveness of mathematics in economics](#), arguing that much mathematical economics rests on non-constructive and non-computable foundations. Mathematical models in ecology, medicine and social science are useful, but rarely achieve the precision or the novel predictions of physics.

The explanations in Table 11 predict this. Living and social systems are shaped by history, so many of their features are frozen accidents that no compact rule can compress. They are often far from the critical points and large-number limits where universality holds. Their components adapt to the models used to describe them, as when markets change in response to the forecasts made about them. These are not failures of mathematics but features of the systems. Where biology does have universal structure, such as the genetic code, the mechanics of molecules and the statistics of populations, mathematics works very well. The gradient of mathematical success from physics to sociology is, on this account, a gradient in compressibility and universality, not in human effort. That is evidence against the pure selection view.

A new line of evidence comes from machines. [Schmidt and Lipson](#) showed in 2009 that a search algorithm, given motion data from pendulums and oscillators, could rediscover conservation laws and equations of motion without being told what to look for. [Al Feynman](#) recovered all 100 equations from the Feynman Lectures in a test set from data alone, using physics-inspired assumptions such as symmetry and separability. Machine-learning methods have [suggested conjectures](#) that mathematicians then proved, and a language-model-guided search has found [new constructions](#) in combinatorics. If non-human systems searching for compact descriptions converge on the same mathematics humans found, that weakens the view that mathematical physics reflects only the peculiarities of human cognition. It does not yet settle the matter, since these systems were built by humans with human assumptions, but it is a direction in which evidence could accumulate.

10.7 Undecidability in physics

One more result bears on the strongest position. [Gödel](#) and [Turing](#) showed that mathematics contains true statements that cannot be proved and questions no algorithm can decide. For decades this seemed irrelevant to physics. In 2015 Toby Cubitt, David Pérez-García and Michael Wolf proved that the [spectral gap problem](#) is undecidable. Whether a quantum many-body system on a lattice has an energy gap above its ground state, a property that determines much of its low-temperature physics, cannot in general be determined from a description of its local interactions. They showed this by constructing systems whose gap encodes the halting problem.

The result has two implications. It shows that mathematics can prove limits on what physics can know, just as chaos theory does for prediction (Section 7). And it complicates the claim that reality is a

mathematical structure. If it is, then it contains questions about itself that cannot be answered within any formal system, so a complete theory of everything might exist without being able to answer all questions about the systems it governs. That is compatible with the Mathematical Universe Hypothesis, but it removes one of its attractions, the promise of complete knowability.

10.8 Assessment

The evidence from the six lower layers supports the following assessment, set out graphically in Section 15.

- The descriptive-language view correctly explains the human character of mathematical notation and practice, the idealization in all models, and the uneven success of mathematics across sciences. As a complete account it fails to explain precise novel prediction by abstract structure (Grade C as a complete account).
- The discovery-of-structure view best explains the combination of novel prediction, survival across theory change and cross-domain universality. Its conceptual problems are real but not decisive (Grade C, the best supported of the three).
- The foundation view explains the effectiveness of mathematics most completely but makes no prediction that distinguishes it from the second view. It faces unresolved problems of testability, measure and undecidability (Grade D).

This report therefore adopts structural realism as its working position for the series, while keeping the question open. In practical terms the series treats the mathematical structures that recur in its reports, such as conservation laws, networks, scaling laws and thresholds, as candidates for real features of the world. They have to earn that status by meeting condition (3) of Section 3 in each new domain. They are not presumed to have it because they are mathematical.

11

TESTING THE HYPOTHESIS



11. Testing the Mathematical Architecture Hypothesis

11.1 Three tests

The Mathematical Architecture Hypothesis claims that mathematical structures provide a common framework for identifying constraints, describing interactions, explaining emergent patterns and predicting behavior across domains whose mechanisms differ. Section 3 gave it a testable form. This section applies three tests.

1. **Compression.** Does a mathematical structure describe many independent observations with far fewer parameters, and does it predict observations not used to build it? This is condition (1) of Section 3.
2. **Transfer.** Does a structure identified in one domain predict quantitative outcomes in another domain with a different mechanism, without refitting? This is condition (3).
3. **Discrimination.** Applied to a range of claimed cross-domain correspondences, does the test separate genuine unifications from superficial resemblances? A test that passes everything is not a test.

11.2 Test 1: compression

Kepler's third law is the textbook example of a mathematical law, and it is worth testing directly. Figure 20 plots the orbital periods of the eight planets and Pluto against the semi-major axes of their orbits. On logarithmic axes they fall on a straight line with fitted slope 1.4998, against the theoretical $3/2$. The four large moons of Jupiter give 1.5000. Eighteen numbers, a period and a distance for each of nine bodies, are compressed into one exponent and one constant.




Figure 20. Compression and its refinement. Orbital period against semi-major axis for nine bodies orbiting the Sun, with Kepler's law $T \propto a^{3/2}$ (a). Newton's form of the law turns each orbit into a measurement of the central mass; the small excess inferred from Jupiter and Saturn matches each planet's own mass, and the excess for the outer bodies reflects the mass of the giant planets inside their orbits (b).

Source: H Heuristics calculation from mean orbital elements (Standish, [JPL Solar System Dynamics](#)) and sidereal periods; planetary masses as fractions of the Sun's from JPL. $G = 6.6743 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$.

Newton's derivation of the law adds something Kepler's version lacks. In Newton's form, $T^2 = 4\pi^2 a^3 / [G(M + m)]$, so each orbit measures the total mass of the central body and the orbiting one. Applying this to the four inner planets gives a solar mass of $1.989 \times 10^{30} \text{ kg}$; applying it to Jupiter's moons gives a mass for Jupiter of $1.899 \times 10^{27} \text{ kg}$, both matching the accepted values. Panel (b) shows that the small deviations are not noise. Jupiter's orbit implies a central mass 0.88 parts per thousand larger than the inner planets do, close to Jupiter's own mass of 0.95 parts per thousand of the Sun's. Saturn's implies 0.24, against its own mass of 0.29. For Uranus, Neptune and Pluto the excess is 1.02, 1.24 and 1.35 parts per thousand. That is close to the combined mass of Jupiter and Saturn, about 1.24 parts per thousand, which these outer bodies feel as part of the central attraction. A law first found as a pattern in numbers becomes, in Newton's version, an instrument that weighs the planets.

Table 12 collects the compression results from the report's calculations. In every case, a structure fitted to some observations, or derived with no fitted parameters at all, predicts others.

Table 12. Compression and out-of-sample prediction in the report's calculations

Case	Observations described	Parameters fitted	Out-of-sample result	Section
Balmer formula	10 hydrogen wavelengths	1 (fitted to 4 lines)	6 further lines predicted within 5.2 parts per million	4
Kepler–Newton law	9 planetary orbits; 4 moons	1 exponent, 1 constant per central body	Masses of the Sun and Jupiter; mass of giant planets from orbital excess	11
SU(3) equal spacing	3 baryon masses	Mean spacing	Omega-minus mass within 0.7 per cent	6
GPS relativity	Satellite clock drift	None	38.4 μ s per day against 38.6 in operation	5
Feigenbaum ratio	Period-doubling cascade	None	Same $\delta = 4.669$ in maps, fluids and circuits	7
Onsager–Yang formula	Magnetization at 18 temperatures	None	Simulation matches exact curve to 0.0004	8
Fixed-point equation	Networks, epidemics, lineages	None	All three match within 0.02	11
Boltzmann–Gibbs law	Random exchange of a conserved quantity	None (mean fixed by total)	Top-decile share 33 per cent against 33 for an exact exponential	9

In the numerology test of Section 4, by contrast, one target was matched by one formula chosen from tens of thousands, with no out-of-sample prediction: compression close to zero.

11.3 Test 2: transfer across domains

The transfer test asks whether a mathematical structure identified in one domain predicts outcomes in a domain with a different mechanism, without refitting. The report's main test uses a single equation that appears in three apparently unrelated systems.

- **Random networks.** In an Erdős–Rényi random network, where each node has on average c links, a giant connected component appears when c exceeds 1. The fraction S of nodes it contains satisfies $S = 1 - e^{-cS}$.
- **Epidemics.** In the Kermack–McKendrick model of an epidemic in a well-mixed population, where each infected person infects on average R_0 others, a major outbreak can occur when R_0 exceeds 1. The [final fraction ever infected](#) satisfies $z = 1 - e^{-R_0 z}$.
- **Family lines.** In a Galton–Watson branching process, studied in the 1870s to explain the extinction of aristocratic surnames, each individual has on average c offspring. A lineage can survive indefinitely only when c exceeds 1. If the number of offspring follows a Poisson distribution, the probability of survival satisfies the same equation.

The mechanisms are entirely different: graph connectivity, disease transmission and reproduction. What they share is a structure: each unit passes something on to a random number of others, drawn from a Poisson distribution with mean c , and the question is whether the process can reach a finite fraction of the whole. Figure 21 simulates all three and compares them with the one equation. For c above 1.3, the giant component of a 20,000-node network differs from the equation's solution by at most 0.01, the final size of simulated epidemics by at most 0.011, and the survival probability of simulated lineages by at most 0.02.




Figure 21. One equation, three systems. Simulated giant-component size in random networks, final size of major epidemics and survival probability of family lines, against the solution of $S = 1 - e^{-cS}$ (a). The same fixed-point equation describes four classical problems because each shares one structure: units passing something to a Poisson-distributed number of others (b).

Source: H Heuristics calculation; Erdős-Rényi networks of 20,000 nodes; Reed-Frost epidemics in populations of 3,000 with 60 runs per value (major outbreaks only, final size above 5 per cent); 1,500 Poisson branching processes per value, survival defined as reaching 400 living members.

This is not an analogy. Newman proved that the epidemic and network problems are [mathematically identical](#) under appropriate conditions, and the branching process underlies both. The transfer is also productive. The equation implies that an infection with $R_0 = 2$ will, unchecked, eventually reach about 80 per cent of a well-mixed population, and one with $R_0 = 3$ about 94 per cent. Its threshold implies the familiar herd-immunity fraction $1 - 1/R_0$. Network theory then predicted, from the mathematics of heterogeneous degree distributions, that [scale-free contact networks have no epidemic threshold](#), a result that shaped strategies of targeted vaccination. Knowledge flowed from graph theory to epidemiology and back, because the mathematics was shared.

Condition (3) of Section 3 is satisfied. The structure fitted in no domain, derived from first principles, predicts all three with no free parameters. The domain-specific models are no better because they *are* the same model.

11.4 Test 3: discrimination

A hypothesis that every recurring mathematical pattern reveals deep structure would be easy to confirm and worthless. The third test therefore scores fifteen cross-domain correspondences, including several the report expects to fail, against four criteria derived from Section 3:

- 1. Same mathematics.** Is the shared structure an exact mathematical identity, or only an approximate resemblance of shape?
- 2. Shared mechanism.** Is there a reason, at the level of structure, why the domains should share the mathematics?
- 3. Quantitative fit.** Does the shared mathematics fit data in each domain quantitatively, not just qualitatively?
- 4. Novel cross-domain prediction.** Has the shared mathematics produced a confirmed prediction in one domain from results in another?

	Same mathematics	Shared mechanism	Quantitative fit	Novel cross-domain prediction	Grade
Entropy: heat ↔ information (Landauer)	strong	strong	strong	strong	A
Critical exponents: magnets ↔ fluids	strong	strong	strong	strong	A
$S = 1 - e^{-CS}$: networks ↔ epidemics ↔ lineages	strong	strong	strong	strong	A
Wave equation: sound ↔ water ↔ light	strong	partial	strong	strong	A
Inverse-square laws: gravity ↔ charge ↔ light	strong	strong	strong	partial	A
Period doubling: maps ↔ convection ↔ circuits	strong	partial	strong	strong	A
Harmonic oscillator: springs ↔ circuits ↔ fields	strong	partial	strong	partial	A
Diffusion: heat ↔ molecules ↔ option prices	strong	partial	strong	weak	B
Random-matrix spacing: nuclei ↔ zeta zeros	strong	weak	strong	partial	B
Golden angle in phyllotaxis	partial	strong	strong	weak	B
Exponential law: gas energies ↔ incomes	partial	weak	partial	weak	C
Fractal form: coastlines ↔ lungs ↔ rivers	weak	partial	partial	weak	C
3/4 scaling: organisms ↔ cities	weak	weak	weak	weak	C
'Power laws everywhere'	weak	none	weak	none	D
Golden ratio in art, bodies and markets	none	none	none	none	D

Figure 22. Separating unification from resemblance. Fifteen claimed cross-domain mathematical correspondences scored on four criteria, with an overall grade. Correspondences above the dashed line meet the transfer condition of Section 3; those below share a shape without a shared mechanism or a transferable prediction. Source: *H Heuristics assessment*, based on the literature cited in Sections 4 to 9 and the calculations in this report. Scores: none, weak, partial, strong.

Figure 22 shows the results. Seven correspondences earn an A: entropy in thermodynamics and information, critical exponents in magnets and fluids, the fixed-point equation of Figure 21, the wave equation, inverse-square laws, period doubling and the harmonic oscillator. Each has exact shared mathematics, a structural reason for it, quantitative fit and at least one confirmed transfer. Maxwell's prediction that light is an electromagnetic wave is a transfer from the wave equation of strings and sound. Landauer's principle is a transfer from information theory to thermodynamics, confirmed in 2012. Three correspondences earn a B. The diffusion equation in heat, molecular motion and option pricing is exact but has made few novel transfers. Random-matrix statistics shared by nuclei and the zeros of the zeta function is exact, but no mechanism is known for the primes. The golden angle has a mechanism and fits, but its cross-domain reach is limited.

At the bottom, five correspondences earn C or D. The exponential law for gas energies and incomes is mathematically exact in a model but has a weak mechanism in economies. Fractal form in coastlines, lungs and rivers shares a description but not a cause. The 3/4 scaling of organisms and cities shares a sublinear shape but not a mechanism or exponent. Claims that power laws are everywhere, and that the golden ratio governs art, bodies and markets, fail at every criterion. The test discriminates, and its verdicts match the independent judgments of the specialist literature reviewed in Section 8.

11.5 What the tests show

The three tests support a qualified version of the Mathematical Architecture Hypothesis (Grade B for the qualified version). Mathematical structures *do* provide a common framework across domains with different mechanisms, and in the best cases they predict without refitting. But they do so only when the domains share a structure: a symmetry, a universality class, a branching process, a conservation law or an

information-theoretic constraint. When domains share only a shape on a graph, such as a straight line on logarithmic axes or a spiral, the framework adds vocabulary but not explanation.

This qualification is the main scientific finding of the report. It turns the hypothesis from a general claim about mathematics into a specific claim about *which* mathematics recurs and *why*: structures that are insensitive to microscopic detail, so that systems built from different materials can share them. That is precisely what the renormalization group explains for critical phenomena and what branching-process theory explains for spreading processes. It is also what one would expect if the discovery-of-structure position of Section 10 is right.

11.6 What would weaken the hypothesis

The hypothesis could be weakened in several ways. A large, systematic sample of claimed cross-domain correspondences, scored blind by independent assessors, might show that genuine transfers are rarer than this report's illustrative sample suggests. A domain in which no transfer of mathematical structure from elsewhere has ever produced a confirmed prediction, despite serious effort, would set a boundary on the hypothesis. And if the apparent successes turned out to depend on post hoc selection, recognizing shared structure only after both domains were understood, the predictive part of the hypothesis would lose force. Section 12 turns these possibilities into a research agenda.

12

HYPOTHESES AND RESEARCH AGENDA



12. Hypotheses and Research Agenda

12.1 Ten testable hypotheses

The analysis of the preceding sections can be condensed into ten propositions. Each is stated so that evidence could support or weaken it. They are offered as hypotheses for the series and for wider research, not as conclusions. Table 13 lists them with the evidence that would bear on each.

Table 13. Ten testable hypotheses about the mathematical architecture of reality

Hypothesis	Would be supported by	Would be weakened by	Grade
H1 Compression. Mathematical prediction succeeds in proportion to the measured compressibility of a domain's data.	Correlation between description-length savings and out-of-sample predictive skill across many data sets	Highly predictable domains with incompressible data, or the reverse	B
H2 Structural transfer. Mathematics transfers between domains with a confirmed prediction only when they share a structure (symmetry, universality class, branching), not merely a functional form.	Blind scoring of a large sample of correspondences reproducing the split in Figure 22	Frequent successful transfers between domains sharing only a curve shape	B
H3 Structural survival. When theories are replaced, their mathematical structure survives more often than their claims about what exists.	A systematic historical survey of theory change in physics and chemistry	Many cases in which core equations were discarded while entities were retained	B
H4 Effectiveness gradient. The decline of mathematical success from physics to social science tracks compressibility and distance from large-number limits, not research effort.	Success measures correlating with system properties after controlling for funding and publication volume	Success tracking effort once system properties are controlled	C
H5 Coincidence calibration. Most published numerical relationships among constants with no derivation fail a look-elsewhere test of the kind in Figure 6.	Re-analysis of numerological claims against formula-space null models	Many such relationships surviving the test and later being derived	B
H6 Machine convergence. Independent automated systems searching for compact laws converge on the same structures humans found, such as conservation laws and symmetries.	Agreement across differently designed systems trained on raw data	Machines finding equally compact but structurally different laws	C
H7 Physical undecidability. More physically natural questions will be proven undecidable or computationally irreducible.	New undecidability proofs for realistic models (beyond the spectral gap)	Proofs that classes of physical questions are always decidable	C
H8 Symmetry first. Any new fundamental physics will be organized by new symmetries or the breaking of known ones.	Discoveries explained by extended or broken symmetry groups	A confirmed fundamental law with no symmetry interpretation	B
H9 Power-law deflation. Rigorous re-analysis will find strong support for power laws in a minority of claimed cases in biology and social science.	Replication of Clauset-style tests across fields	Majority of claims surviving rigorous tests	B
H10 Series prediction. Across the Architecture of Creation reports, the cross-domain claims that meet the transfer test will be those based on conservation, networks and thresholds; general scaling claims will mostly fail.	Applying the scorecard of Section 11 to every cross-domain claim in the series	Scaling claims passing the transfer test as often as threshold and network claims	C

Grades describe current support for each hypothesis as stated. H1 to H4 bear most directly on the central question; H10 applies the framework to the series itself.

12.2 A research agenda


Several of these hypotheses could be tested with existing tools. Four projects would be particularly informative.

1. **A compression atlas of science.** Measure the description-length savings of the best available models across a broad range of scientific data sets, from planetary ephemerides to gene-expression panels and macroeconomic series. Compare those savings with independent measures of predictive success. This would test H1 and H4 directly, and would turn Hamming's third explanation from an impression into a measurement.
2. **A blind correspondence audit.** Assemble several hundred published claims of cross-domain mathematical correspondence and have them scored on the four criteria of Section 11 by assessors who do not know the claims' reputations. This would test H2 and H9 and calibrate the discrimination test.
3. **A history of surviving structure.** Code the major theory changes in physics and chemistry since 1600 for what was retained and what was discarded: equations, entities, constants and concepts. This would test H3 and give structural realism the quantitative footing it currently lacks.
4. **A machine-discovery benchmark.** Give several independently designed symbolic-regression and machine-learning systems the same raw physical data, and compare the laws they find in form, compactness and predictive power. This would test H6 and begin to separate what is human in mathematical physics from what is forced by the data.

None of these projects would settle the philosophical question. Together they would turn several of its components into measurable quantities, which is the most a scientific program can do for a philosophical question, and more than has yet been done for this one.

13

THE LIMITS OF MODELING



13. The Limits of Mathematical Modeling

13.1 The model and the world

Every mathematical model is a simplification, and every simplification leaves something out. The statistician George Box made the point in a [1976 paper](#). Since all models are wrong, he argued, a scientist cannot obtain a correct one by endless elaboration, and should instead seek the simple model that is usefully wrong. The point applies to the best physical laws as much as to statistical models. Newton's law of gravitation is wrong at high speeds and strong fields; general relativity is wrong, or at least incomplete, at the Planck scale; quantum field theories are defined only up to some energy. A model is a map, and the map is not the territory.

This section sets out the main limits on mathematical description. They do not undermine the conclusions of this report, but they bound them. Table 14 summarizes them.

Table 14. Limits on mathematical description of the world

Limit	Example	Consequence	Section
Idealization	Point masses, frictionless planes, infinite populations	Every model is accurate only within a domain	13.1
Overfitting	Epicycles; models with as many parameters as data	Fit without compression explains nothing	13.2
Effective theories	Newtonian gravity; Fermi theory of weak interactions	Laws are valid at some scales and fail at others	13.3
Chaos	Weather; the three-body problem	Deterministic laws with a calculable horizon of prediction	7.4
Computational irreducibility	Rule 110; many cellular automata	Outcomes found only by simulation	7.5
Undecidability	Spectral gap of quantum lattices	Some physical questions have no algorithmic answer	10.7
Unproven foundations	Navier–Stokes smoothness; Yang–Mills mass gap	Physical theories used without rigorous mathematical footing	13.4
Unknown physics	Dark matter, dark energy, quantum gravity	Most of the universe's energy content is not described by known laws	13.5

The limits are of different kinds: some are features of models, some of mathematics itself, and some of the current state of physics.

13.2 Fitting is not explaining

Ptolemy's astronomy described planetary motion as circles moving on circles, or epicycles. It was mathematically sophisticated and predicted planetary positions to within the accuracy of naked-eye

observation for more than a thousand years. It was also wrong about the arrangement of the solar system. Its success was not evidence of truth, because epicycles are a [Fourier series](#) in disguise, and with enough circles a Fourier series can approximate any closed curve.

Figure 23 makes the point with a deliberately unphysical target, the outline of the letter H. Three circles produce a blob, with an error of 19.18 per cent of the letter's height. Nineteen circles produce a recognizable H with an error of 1.2 per cent, and 51 circles reduce the error to 0.39 per cent. With about 500 circles the error falls to 0.01 per cent, and the drawing is indistinguishable from the letter. No one would conclude that the letter H is made of circles.




Figure 23. Any shape, given enough circles. Fourier epicycle approximations to the outline of the letter H with 3, 7, 17 and 51 circles (a), and the error as a function of the number of circles (b). Flexible mathematics can fit anything; fit alone is not evidence that the mathematics describes the mechanism.

Source: H Heuristics calculation; the outline is sampled at 2,048 points and reconstructed from its lowest Fourier modes; error is the root-mean-square distance as a percentage of letter height.

The modern version of the epicycle problem is any model with enough free parameters, including large neural networks, which are universal approximators. Such models can be extremely useful for prediction within the range of their training data. But their success is not evidence that the world has the structure of the model, any more than Ptolemy's success was evidence for epicycles. The criterion of Section 3, compression and out-of-sample prediction, separates the two cases. Kepler's ellipses replaced Ptolemy's circles not because they fit better, but because they compressed the data into three laws and later yielded to Newton's single one.

13.3 Approximation and effective theories

A striking feature of physics is that it works at all without a final theory. Engineers design bridges with Newtonian mechanics without knowing quantum gravity. The reason, made precise by the renormalization group, is that the physics at one scale is largely insensitive to the details of physics at much smaller scales. Every working theory is an [effective theory](#), accurate within a range of scales and expected to fail outside it.

This is good news for the effectiveness of mathematics, because it explains why imperfect theories predict so well. But it limits what the effectiveness can show. The fact that a mathematical theory works at one scale does not show that its structure is fundamental. It may be the large-scale shadow of a quite different structure at smaller scales, just as the equations of fluid flow emerge from molecules that are not

fluid at all. Structural realism, the report's working position, must therefore be modest: the structures it takes to be real are real at the scale where they apply, without implying that they are the bottom level.

13.4 Mathematics that is not finished

Physics uses mathematics that mathematicians have not yet made rigorous. Whether the [Navier–Stokes equations](#) always have smooth solutions in three dimensions is unknown and is one of the Clay Millennium Prize problems. So is the existence of a mass gap in [Yang–Mills theory](#), the mathematical structure underlying the strong force. Hilbert's sixth problem, to put physics on axiomatic foundations, remains, in Alexander Gorban's phrase, an [endless road to rigour](#). Physicists routinely compute with quantities, such as path integrals, that mathematicians cannot yet define in general.

This means that the mathematical architecture of reality is incomplete as mathematics, not just as physics. The structures physics relies on are, in several cases, structures whose existence and properties have not been proved. That they nevertheless predict correctly is itself evidence that they track something real, but it also means the effectiveness of mathematics runs ahead of mathematical understanding.

13.5 The empirical boundary

Finally, mathematics can only describe what has been observed or inferred. The discovery in 1998 that the expansion of the universe is accelerating, by teams led by [Riess](#) and [Perlmutter](#), revealed that about 69 per cent of the universe's energy is in a form, dark energy, whose nature is unknown. Another 26 per cent is dark matter, also unidentified. The [Planck 2018](#) cosmological parameters are measured to about one per cent, and the mathematics of the standard cosmological model fits the data remarkably well. But a well-fitting model with two unexplained components making up 95 per cent of the content is a reminder that fit is not completeness.

There is no contradiction between these limits and the report's main findings. Mathematics describes reality extraordinarily well where reality is compressible, universal and well observed. It reaches its limits where reality is chaotic, computationally irreducible, historically contingent, undecidable or not yet observed. The location of those limits is itself mathematical knowledge.

14

IMPLICATIONS



14. Implications

14.1 For the Architecture of Creation series

The series has described the universe, life, Earth, entropy and civilization using a common mathematical vocabulary: conservation laws, scaling relations, networks, thresholds and feedbacks. This report provides a way to audit that vocabulary. Not every mathematical claim in the series is of the same kind, and the transfer test of Section 11 indicates which cross-domain claims are likely to be unifications and which resemblances. Table 15 applies the framework to each report.

Table 15. Implications for the reports of the Architecture of Creation series

Report	Mathematical structures relied on	Strongest ground	Where to be cautious
The Universe	General relativity; symmetry breaking; gravitational instability; fine-tuning arguments	Geometric gravity and cosmological parameters (Layers II and III; Grade A)	Explanations of the constants' values (Layer I; Grade D)
Life	Networks; branching; reaction–diffusion; allometric scaling; evolutionary dynamics	Branching and threshold processes; Turing patterns where measured (Grade A–B)	Universal metabolic exponents (Grade C)
Earth	Coupled differential equations; feedbacks; tipping points; fractal landscapes	Conservation of energy and mass; bifurcation theory (Grade A)	Precise thresholds in complex coupled systems; power-law hazard claims
Entropy	Statistical mechanics; information theory; maximum entropy	Boltzmann and Shannon entropy; Landauer's principle (Grade A)	Entropy as a general explanation of social or economic change (analogy)
Civilization	Networks; cascades; percolation; urban scaling; cumulative advantage	Network fragility and pooling results (exact in models; Grade A–B)	Urban scaling as law; exponential income distributions (Grade B–C)
A Unified Architecture of Reality	Cross-domain recurrence of structures	Correspondences graded A in Figure 22	Correspondences graded C or D; resemblances presented as unification

The table identifies where each report's mathematical claims sit on the ladder of Figure 2; it does not re-evaluate the reports' substantive conclusions.

The general implication is that the series' most secure cross-domain claims rest on the structures that passed the transfer test: conservation laws, branching and percolation thresholds, universality near critical points and information-theoretic limits. Its least secure rest on general scaling laws and pattern resemblances. Future reports should state, for each cross-domain mathematical claim, which rung of the ladder it occupies and whether it meets condition (3).

14.2 For science

Three implications reach beyond the series. The first is that the effectiveness of mathematics can be studied empirically, not just admired. The research agenda of Section 12 suggests how. The second is that the most valuable mathematics for unifying different sciences is the mathematics of structure that is insensitive to detail: symmetry, universality, network topology and information. Training that emphasizes these, rather than domain-specific techniques alone, is training for transfer. The third is a warning. As machine-learning models of enormous flexibility become standard tools, the difference between fitting and explaining, which Ptolemy's epicycles illustrate, becomes more important, not less. A model that predicts well within its training range has not thereby revealed the structure of the world.

14.3 Ten heuristics for using mathematics to understand reality

In keeping with the H Heuristics approach, the report's findings can be condensed into working rules.

1. **Ask which rung.** Before accepting a mathematical claim about the world, ask whether it is an identity, a law, a regularity, a model or an analogy.
2. **Count the formulas you could have tried.** A numerical match is evidence only in proportion to how unlikely it would be by chance.
3. **Prefer compression to fit.** A model that describes many observations with few parameters, and predicts new ones, explains. A model that fits with many parameters may not.
4. **Look for the symmetry.** Conservation laws and selection rules usually come from invariance; find what does not change.
5. **Find the universality class.** If two systems share mathematics, ask what structural features they share; if none, suspect coincidence.
6. **Test before naming a power law.** Use likelihood-based tests and require a mechanism.
7. **Respect the horizon.** In chaotic systems, compute how far ahead prediction is possible before investing in precision.
8. **Distinguish rule from outcome.** A short rule may produce outcomes that can only be found by simulation.
9. **Keep the map and territory apart.** Every model is effective within a range; state the range.
10. **Watch for transfer.** The strongest evidence that mathematics has captured something real is a confirmed prediction in a domain it was not built for.

15

CONCLUSION



15. Conclusion: Language, Structure or Foundation?

15.1 The answer to the central question

The report set out to ask whether mathematics is merely a language humans use to describe reality, or whether its effectiveness reveals something deeper about the structure of reality itself. It did not presuppose an answer. Having examined seven layers of evidence and applied three tests, it can now give one, with grades.

Mathematics is, in part, a descriptive language. Its notation, its choice of problems, its standards of proof and its idealizations are human. Its success is partly explained by selection and by the co-development of mathematics and physics. And its effectiveness falls off sharply in domains that resist compression. A purely descriptive account, however, cannot explain the record of precise novel prediction by abstract structures, the survival of mathematical structure through theory change, or the exact recurrence of the same mathematics in systems that share nothing but structure.

The evidence is best explained by the second position: mathematics, at its most successful, is a discovery of objective structure. Symmetries, invariants, the geometry of spacetime, universality classes and the laws of probability are not merely convenient. They are features of the world that any adequate description must capture, and that mathematics, as the systematic study of possible structures, is equipped to find. Figure 24 summarizes the report's assessment.




Figure 24. Where the evidence points. The report's assessment of support for positions on why mathematics describes reality, against the strength of each position's claim about what reality is. The best-supported position is epistemic structural realism: mathematics captures real structure, though not necessarily the whole of what exists.

Source: *H Heuristics assessment*, based on Sections 2 to 13. Positions are placed qualitatively; the vertical axis is a judgment, not a measurement.

The third position, that reality *is* mathematics, explains the effectiveness most completely. But it makes no prediction that distinguishes it from the second, and it faces unresolved problems of testability, measure and undecidability. It remains a serious philosophical proposal and a possible future direction, not an established scientific conclusion.

The report's answer. Mathematics is best understood as a means of discovering objective structure. It is more than a descriptive language, because its structures predict, persist and transfer. It is not yet shown to be the foundation of reality, because nothing in the evidence requires that further step.

15.2 What a defensible mathematical architecture of creation establishes

Separating what is established from what is open is the main purpose of the grading scale. Table 16 does this for the report's central claims.

Table 16. What is established, what is supported and what remains open

Claim	Status	Grade
Mathematics has repeatedly predicted unobserved phenomena with high precision	Established by the historical record	A
Continuous symmetries imply conservation laws	Proven and confirmed	A
Gravity is described with high precision as spacetime geometry	Confirmed in every tested regime	A
Simple deterministic rules can produce chaos and universal computation	Proven	A
Physically different systems share exact mathematics near critical points and thresholds	Established theory and experiment	A
Macroscopic regularities follow from the statistics of microscopic events	Established	A
Numerical coincidences among constants are weak evidence without derivation	Demonstrated by calculation	A
Mathematical structure survives theory change more than ontology does	Well supported by case studies; not systematically measured	B
Cross-domain mathematical transfer succeeds when domains share structure, not shape	Supported by this report's tests; needs a larger sample	B
Mathematics is best understood as a discovery of objective structure	Best supported philosophical position	C
Why the fundamental constants have their values	Open	D
Reality is fundamentally a mathematical structure	Open; philosophical	D

The grades follow Table 1. A claim's grade can change as evidence accumulates; Section 12 indicates how.

A scientifically defensible mathematical architecture of creation is therefore not a claim that the universe is a formula. It is a claim that the constraints, generators and filters that shape every domain of creation, from galaxies to cities, are expressible in a limited set of mathematical structures. These structures recur because they are insensitive to the details of what they organize, and they can be tested by whether they predict across domains. That claim is supported at Grade B by the evidence in this report.

15.3 What remains unresolved

Several questions remain open, and the report has not pretended otherwise. Why the fundamental constants have their values is unknown. Whether mathematical structure is the whole of reality, or only the part that can be known, is unresolved. Ontic and epistemic structural realism remain in dispute, as does the coherence of structure without objects. The relative weight of compression, universality and selection in explaining mathematical success has not been measured. The unification of general relativity and quantum theory, which may require new mathematics, has not been achieved. Nor is it known how far the reach of mathematics into biology and social systems can be extended, or whether it has a principled limit.

15.4 How this informs the series

For subsequent H Heuristics papers on the universe, life, Earth, entropy and civilization, the report offers a method and a caution. The method is to locate each mathematical claim on the ladder of Figure 2, to

test cross-domain claims with condition (3), and to grade the result. The caution is that the most persuasive-looking patterns, such as straight lines on log-log plots and spirals, are often the least informative. Meanwhile the least glamorous structures, conservation laws, threshold equations and the statistics of large numbers, are often the ones that genuinely unify. The series' framework of constraints, generators and filters can now be read as a claim about mathematical structure: the constraints are symmetries and geometries, the generators are dynamical rules, and the filters are stability and probability.

15.5 Closing

Wigner called the effectiveness of mathematics a wonderful gift that we neither understand nor deserve. This report suggests that it can be partly understood. Mathematics works because the world is compressible, because collective behavior forgets most of its details, and because the deepest regularities of nature are symmetries and invariants that mathematics was built to study. Whether it is deserved is another matter. What can be said is that the gift has a definite shape, and that its shape is evidence about the world. Reality has structure that can be compressed, shared across systems and preserved through change. Mathematics is how that structure is found.

Final verdict. Mathematics is not merely the language in which we describe the world, nor demonstrably the substance of which the world is made. It is the means by which we discover the world's structure, and its success is the best evidence we have that such structure is really there.

References

The list below gives full details for every primary source cited by DOI in the text, generated from the DOI registry metadata. Reference articles, data sources and works cited by other stable links are linked in the text where they are used and are not repeated here. They include the [Stanford Encyclopedia of Philosophy](#), the [NIST CODATA fundamental constants](#), the [NIST Atomic Spectra Database](#), the [Particle Data Group](#) and [JPL Solar System Dynamics](#). Books discussed include Euclid's *Elements*, Newton's *Principia* (1687), Field's *Science Without Numbers* (1980), Lakoff and Núñez's *Where Mathematics Comes From* (2000) and Mandelbrot's *The Fractal Geometry of Nature* (1982).

- Aad, G. et al. (2012). Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. *Physics Letters B* 716, 1-29. [doi:10.1016/j.physletb.2012.08.020](https://doi.org/10.1016/j.physletb.2012.08.020)
- Abbott, B. P. et al. (2016). Observation of Gravitational Waves from a Binary Black Hole Merger. *Physical Review Letters* 116, 061102. [doi:10.1103/PhysRevLett.116.061102](https://doi.org/10.1103/PhysRevLett.116.061102)
- Adams, F. C. (2019). The degree of fine-tuning in our universe — and others. *Physics Reports* 807, 1-111. [doi:10.1016/j.physrep.2019.02.001](https://doi.org/10.1016/j.physrep.2019.02.001)
- Anderson, C. D. (1933). The Positive Electron. *Physical Review* 43, 491-494. [doi:10.1103/PhysRev.43.491](https://doi.org/10.1103/PhysRev.43.491)
- Anderson, P. W. (1972). More Is Different. *Science* 177, 393-396. [doi:10.1126/science.177.4047.393](https://doi.org/10.1126/science.177.4047.393)
- Aoyama, T. et al. (2019). Theory of the Anomalous Magnetic Moment of the Electron. *Atoms* 7, 28. [doi:10.3390/atoms7010028](https://doi.org/10.3390/atoms7010028)
- Ashby, N. (2003). Relativity in the Global Positioning System. *Living Reviews in Relativity* 6, 1. [doi:10.12942/lrr-2003-1](https://doi.org/10.12942/lrr-2003-1)
- Bak, P. et al. (1987). Self-organized criticality: An explanation of the 1/f noise. *Physical Review Letters* 59, 381-384. [doi:10.1103/PhysRevLett.59.381](https://doi.org/10.1103/PhysRevLett.59.381)
- Baker, A. (2005). Are there Genuine Mathematical Explanations of Physical Phenomena? *Mind* 114, 223-238. [doi:10.1093/mind/fzi223](https://doi.org/10.1093/mind/fzi223)
- Barabási, A. L. & Albert, R. (1999). Emergence of Scaling in Random Networks. *Science* 286, 509-512. [doi:10.1126/science.286.5439.509](https://doi.org/10.1126/science.286.5439.509)
- Barnes, V. E. et al. (1964). Observation of a Hyperon with Strangeness Minus Three. *Physical Review Letters* 12, 204-206. [doi:10.1103/PhysRevLett.12.204](https://doi.org/10.1103/PhysRevLett.12.204)
- Batterman, R. W. (2010). On the Explanatory Role of Mathematics in Empirical Science. *The British Journal for the Philosophy of Science* 61, 1-25. [doi:10.1093/bjps/axp018](https://doi.org/10.1093/bjps/axp018)
- Bekenstein, J. D. (1973). Black Holes and Entropy. *Physical Review D* 7, 2333-2346. [doi:10.1103/PhysRevD.7.2333](https://doi.org/10.1103/PhysRevD.7.2333)
- Bell, J. S. (1964). On the Einstein Podolsky Rosen paradox. *Physica Physique Fizika* 1, 195-200. [doi:10.1103/PhysicsPhysiqueFizika.1.195](https://doi.org/10.1103/PhysicsPhysiqueFizika.1.195)
- Bettencourt, L. M. A. et al. (2007). Growth, innovation, scaling, and the pace of life in cities. *Proceedings of the National Academy of Sciences* 104, 7301-7306. [doi:10.1073/pnas.0610172104](https://doi.org/10.1073/pnas.0610172104)
- Bohigas, O. et al. (1984). Characterization of Chaotic Quantum Spectra and Universality of Level Fluctuation Laws. *Physical Review Letters* 52, 1-4. [doi:10.1103/PhysRevLett.52.1](https://doi.org/10.1103/PhysRevLett.52.1)
- Born, M. (1926). Zur Quantenmechanik der Stoßvorgänge. *Zeitschrift für Physik* 37, 863-867. [doi:10.1007/BF01397477](https://doi.org/10.1007/BF01397477)
- Box, G. E. P. (1976). Science and Statistics. *Journal of the American Statistical Association* 71, 791-799. [doi:10.1080/01621459.1976.10480949](https://doi.org/10.1080/01621459.1976.10480949)
- Broido, A. D. & Clauset, A. (2019). Scale-free networks are rare. *Nature Communications* 10, 1017. [doi:10.1038/s41467-019-08746-5](https://doi.org/10.1038/s41467-019-08746-5)
- Bérut, A. et al. (2012). Experimental verification of Landauer's principle linking information and thermodynamics. *Nature* 483, 187-189. [doi:10.1038/nature10872](https://doi.org/10.1038/nature10872)
- Chaitin, G. J. (1975). A Theory of Program Size Formally Identical to Information Theory. *Journal of the ACM* 22, 329-340. [doi:10.1145/321892.321894](https://doi.org/10.1145/321892.321894)
- Clauset, A. et al. (2009). Power-Law Distributions in Empirical Data. *SIAM Review* 51, 661-703. [doi:10.1137/070710111](https://doi.org/10.1137/070710111)
- Clemence, G. M. (1947). The Relativity Effect in Planetary Motions. *Reviews of Modern Physics* 19, 361-364. [doi:10.1103/RevModPhys.19.361](https://doi.org/10.1103/RevModPhys.19.361)

- Cubitt, T. S. et al. (2015). Undecidability of the spectral gap. *Nature* 528, 207-211. [doi:10.1038/nature16059](https://doi.org/10.1038/nature16059)
- Davies, A. et al. (2021). Advancing mathematics by guiding human intuition with AI. *Nature* 600, 70-74. [doi:10.1038/s41586-021-04086-x](https://doi.org/10.1038/s41586-021-04086-x)
- Deutsch, D. (1985). Quantum theory, the Church–Turing principle and the universal quantum computer. *Proceedings of the Royal Society of London. A. Mathematical and Physical Sciences* 400, 97-117. [doi:10.1098/rspa.1985.0070](https://doi.org/10.1098/rspa.1985.0070)
- Dirac, P. A. M. (1928). The quantum theory of the electron. *Proceedings of the Royal Society of London. Series A, Containing Papers of a Mathematical and Physical Character* 117, 610-624. [doi:10.1098/rspa.1928.0023](https://doi.org/10.1098/rspa.1928.0023)
- Douady, S. & Couder, Y. (1992). Phyllotaxis as a physical self-organized growth process. *Physical Review Letters* 68, 2098-2101. [doi:10.1103/PhysRevLett.68.2098](https://doi.org/10.1103/PhysRevLett.68.2098)
- Dragulescu, A. & Yakovenko, V. (2000). Statistical mechanics of money. *The European Physical Journal B* 17, 723-729. [doi:10.1007/s100510070114](https://doi.org/10.1007/s100510070114)
- Dürr, S. et al. (2008). Ab Initio Determination of Light Hadron Masses. *Science* 322, 1224-1227. [doi:10.1126/science.1163233](https://doi.org/10.1126/science.1163233)
- Dyson, F. W. et al. (1920). IX. A determination of the deflection of light by the sun's gravitational field, from observations made at the total eclipse of May 29, 1919. *Philosophical Transactions of the Royal Society of London. Series A, Containing Papers of a Mathematical or Physical Character* 220, 291-333. [doi:10.1098/rsta.1920.0009](https://doi.org/10.1098/rsta.1920.0009)
- Einstein, A. (1916). Die Grundlage der allgemeinen Relativitätstheorie. *Annalen der Physik* 354, 769-822. [doi:10.1002/andp.19163540702](https://doi.org/10.1002/andp.19163540702)
- Fan, X. et al. (2023). Measurement of the Electron Magnetic Moment. *Physical Review Letters* 130, 071801. [doi:10.1103/PhysRevLett.130.071801](https://doi.org/10.1103/PhysRevLett.130.071801)
- Feigenbaum, M. J. (1978). Quantitative universality for a class of nonlinear transformations. *Journal of Statistical Physics* 19, 25-52. [doi:10.1007/BF01020332](https://doi.org/10.1007/BF01020332)
- Feigenson, L. et al. (2004). Core systems of number. *Trends in Cognitive Sciences* 8, 307-314. [doi:10.1016/j.tics.2004.05.002](https://doi.org/10.1016/j.tics.2004.05.002)
- Friedmann, A. (1922). Über die Krümmung des Raumes. *Zeitschrift für Physik* 10, 377-386. [doi:10.1007/BF01332580](https://doi.org/10.1007/BF01332580)
- Gell-Mann, M. (1962). Symmetries of Baryons and Mesons. *Physical Review* 125, 1067-1084. [doi:10.1103/PhysRev.125.1067](https://doi.org/10.1103/PhysRev.125.1067)
- Glazier, D. S. (2005). Beyond the '3/4-power law': variation in the intra- and interspecific scaling of metabolic rate in animals. *Biological Reviews* 80, 611-662. [doi:10.1017/S1464793105006834](https://doi.org/10.1017/S1464793105006834)
- Goles, E. et al. (2001). Prime number selection of cycles in a predator-prey model. *Complexity* 6, 33-38. [doi:10.1002/cplx.1040](https://doi.org/10.1002/cplx.1040)
- Gorban, A. N. (2018). Hilbert's sixth problem: the endless road to rigour. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences* 376, 20170238. [doi:10.1098/rsta.2017.0238](https://doi.org/10.1098/rsta.2017.0238)
- Guggenheim, E. A. (1945). The Principle of Corresponding States. *The Journal of Chemical Physics* 13, 253-261. [doi:10.1063/1.1724033](https://doi.org/10.1063/1.1724033)
- Gödel, K. (1931). Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I. *Monatshefte für Mathematik und Physik* 38-39, 173-198. [doi:10.1007/BF01700692](https://doi.org/10.1007/BF01700692)
- Hales, T. (2005). A proof of the Kepler conjecture. *Annals of Mathematics* 162, 1065-1185. [doi:10.4007/annals.2005.162.1065](https://doi.org/10.4007/annals.2005.162.1065)
- Hales, T. C. (2001). The Honeycomb Conjecture. *Discrete & Computational Geometry* 25, 1-22. [doi:10.1007/s004540010071](https://doi.org/10.1007/s004540010071)
- Hamming, R. W. (1980). The Unreasonable Effectiveness of Mathematics. *The American Mathematical Monthly* 87, 81-90. [doi:10.1080/00029890.1980.11994966](https://doi.org/10.1080/00029890.1980.11994966)
- Hensen, B. et al. (2015). Loophole-free Bell inequality violation using electron spins separated by 1.3 kilometres. *Nature* 526, 682-686. [doi:10.1038/nature15759](https://doi.org/10.1038/nature15759)
- Higgs, P. W. (1964). Broken Symmetries and the Masses of Gauge Bosons. *Physical Review Letters* 13, 508-509. [doi:10.1103/PhysRevLett.13.508](https://doi.org/10.1103/PhysRevLett.13.508)
- Hill, T. P. (1995). A Statistical Derivation of the Significant-Digit Law. *Statistical Science* 10, 354-363. [doi:10.1214/ss/1177009869](https://doi.org/10.1214/ss/1177009869)
- Hubble, E. (1929). A relation between distance and radial velocity among extra-galactic nebulae. *Proceedings of the National Academy of Sciences* 15, 168-173. [doi:10.1073/pnas.15.3.168](https://doi.org/10.1073/pnas.15.3.168)
- Ising, E. (1925). Beitrag zur Theorie des Ferromagnetismus. *Zeitschrift für Physik* 31, 253-258. [doi:10.1007/BF02980577](https://doi.org/10.1007/BF02980577)

- Jaynes, E. T. (1957). Information Theory and Statistical Mechanics. *Physical Review* 106, 620-630. [doi:10.1103/PhysRev.106.620](https://doi.org/10.1103/PhysRev.106.620)
- Kadanoff, L. P. (1966). Scaling laws for Ising models near T_c . *Physics Physique Fizika* 2, 263-272. [doi:10.1103/PhysicsPhysiqueFizika.2.263](https://doi.org/10.1103/PhysicsPhysiqueFizika.2.263)
- Kermack, W. O. & McKendrick, A. G. (1927). A contribution to the mathematical theory of epidemics. *Proceedings of the Royal Society of London. Series A, Containing Papers of a Mathematical and Physical Character* 115, 700-721. [doi:10.1098/rspa.1927.0118](https://doi.org/10.1098/rspa.1927.0118)
- Kleiber, M. (1932). Body size and metabolism. *Hilgardia* 6, 315-353. [doi:10.3733/hilg.v06n11p315](https://doi.org/10.3733/hilg.v06n11p315)
- Klitzing, K. v. et al. (1980). New Method for High-Accuracy Determination of the Fine-Structure Constant Based on Quantized Hall Resistance. *Physical Review Letters* 45, 494-497. [doi:10.1103/PhysRevLett.45.494](https://doi.org/10.1103/PhysRevLett.45.494)
- Kolmogorov, A. N. (1991). The local structure of turbulence in incompressible viscous fluid for very large Reynolds numbers. *Proceedings of the Royal Society of London. Series A: Mathematical and Physical Sciences* 434, 9-13. [doi:10.1098/rspa.1991.0075](https://doi.org/10.1098/rspa.1991.0075)
- Kolokotronis, T. et al. (2010). Curvature in metabolic scaling. *Nature* 464, 753-756. [doi:10.1038/nature08920](https://doi.org/10.1038/nature08920)
- Kosterlitz, J. M. & Thouless, D. J. (1973). Ordering, metastability and phase transitions in two-dimensional systems. *Journal of Physics C: Solid State Physics* 6, 1181-1203. [doi:10.1088/0022-3719/6/7/010](https://doi.org/10.1088/0022-3719/6/7/010)
- Ladyman, J. (1998). What is structural realism? *Studies in History and Philosophy of Science Part A* 29, 409-424. [doi:10.1016/S0039-3681\(98\)80129-5](https://doi.org/10.1016/S0039-3681(98)80129-5)
- Landauer, R. (1961). Irreversibility and Heat Generation in the Computing Process. *IBM Journal of Research and Development* 5, 183-191. [doi:10.1147/rd.53.0183](https://doi.org/10.1147/rd.53.0183)
- Lange, M. (2013). What Makes a Scientific Explanation Distinctively Mathematical? *The British Journal for the Philosophy of Science* 64, 485-511. [doi:10.1093/bjps/axs012](https://doi.org/10.1093/bjps/axs012)
- Lloyd, S. (2002). Computational Capacity of the Universe. *Physical Review Letters* 88, 237901. [doi:10.1103/PhysRevLett.88.237901](https://doi.org/10.1103/PhysRevLett.88.237901)
- Lorenz, E. N. (1963). Deterministic Nonperiodic Flow. *Journal of the Atmospheric Sciences* 20, 130-141. [doi:10.1175/1520-0469\(1963\)020<0130:DNF>2.0.CO;2](https://doi.org/10.1175/1520-0469(1963)020<0130:DNF>2.0.CO;2)
- Mandelbrot, B. (1967). How Long Is the Coast of Britain? Statistical Self-Similarity and Fractional Dimension. *Science* 156, 636-638. [doi:10.1126/science.156.3775.636](https://doi.org/10.1126/science.156.3775.636)
- Maxwell, J. C. (1865). VIII. A dynamical theory of the electromagnetic field. *Philosophical Transactions of the Royal Society of London*, 459-512. [doi:10.1098/rstl.1865.0008](https://doi.org/10.1098/rstl.1865.0008)
- May, R. M. (1976). Simple mathematical models with very complicated dynamics. *Nature* 261, 459-467. [doi:10.1038/261459a0](https://doi.org/10.1038/261459a0)
- Michelson, A. A. & Morley, E. W. (1887). On the relative motion of the Earth and the luminiferous ether. *American Journal of Science* s3-34, 333-345. [doi:10.2475/ajs.s3-34.203.333](https://doi.org/10.2475/ajs.s3-34.203.333)
- Molloy, M. & Reed, B. (1995). A critical point for random graphs with a given degree sequence. *Random Structures & Algorithms* 6, 161-180. [doi:10.1002/rsa.3240060204](https://doi.org/10.1002/rsa.3240060204)
- Morel, L. et al. (2020). Determination of the fine-structure constant with an accuracy of 81 parts per trillion. *Nature* 588, 61-65. [doi:10.1038/s41586-020-2964-7](https://doi.org/10.1038/s41586-020-2964-7)
- Newman, M. (2005). Power laws, Pareto distributions and Zipf's law. *Contemporary Physics* 46, 323-351. [doi:10.1080/00107510500052444](https://doi.org/10.1080/00107510500052444)
- Newman, M. E. J. (2002). Spread of epidemic disease on networks. *Physical Review E* 66, 016128. [doi:10.1103/PhysRevE.66.016128](https://doi.org/10.1103/PhysRevE.66.016128)
- Nieder, A. (2016). The neuronal code for number. *Nature Reviews Neuroscience* 17, 366-382. [doi:10.1038/nrn.2016.40](https://doi.org/10.1038/nrn.2016.40)
- Noether, E. (1971). Invariant variation problems (trans. M. A. Tavel; original 1918). *Transport Theory and Statistical Physics* 1, 186-207. [doi:10.1080/00411457108231446](https://doi.org/10.1080/00411457108231446)
- Odlyzko, A. M. (1987). On the distribution of spacings between zeros of the zeta function. *Mathematics of Computation* 48, 273-308. [doi:10.1090/S0025-5718-1987-0866115-0](https://doi.org/10.1090/S0025-5718-1987-0866115-0)
- Onsager, L. (1944). Crystal Statistics. I. A Two-Dimensional Model with an Order-Disorder Transition. *Physical Review* 65, 117-149. [doi:10.1103/PhysRev.65.117](https://doi.org/10.1103/PhysRev.65.117)
- Parker, R. H. et al. (2018). Measurement of the fine-structure constant as a test of the Standard Model. *Science* 360, 191-195. [doi:10.1126/science.aap7706](https://doi.org/10.1126/science.aap7706)
- Pastor-Satorras, R. & Vespignani, A. (2001). Epidemic Spreading in Scale-Free Networks. *Physical Review Letters* 86, 3200-3203. [doi:10.1103/PhysRevLett.86.3200](https://doi.org/10.1103/PhysRevLett.86.3200)

- Perlmutter, S. et al. (1999). Measurements of Ω and Λ from 42 High-Redshift Supernovae. *The Astrophysical Journal* 517, 565-586. [doi:10.1086/307221](https://doi.org/10.1086/307221)
- Planck Collaboration et al. (2020). Planck 2018 results. VI. Cosmological parameters. *Astronomy & Astrophysics* 641, A6. [doi:10.1051/0004-6361/201833910](https://doi.org/10.1051/0004-6361/201833910)
- Pound, R. V. & Rebka, G. A. (1960). Apparent Weight of Photons. *Physical Review Letters* 4, 337-341. [doi:10.1103/PhysRevLett.4.337](https://doi.org/10.1103/PhysRevLett.4.337)
- Riess, A. G. et al. (1998). Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant. *The Astronomical Journal* 116, 1009-1038. [doi:10.1086/300499](https://doi.org/10.1086/300499)
- Rissanen, J. (1978). Modeling by shortest data description. *Automatica* 14, 465-471. [doi:10.1016/0005-1098\(78\)90005-5](https://doi.org/10.1016/0005-1098(78)90005-5)
- Romera-Paredes, B. et al. (2024). Mathematical discoveries from program search with large language models. *Nature* 625, 468-475. [doi:10.1038/s41586-023-06924-6](https://doi.org/10.1038/s41586-023-06924-6)
- Schmidt, M. & Lipson, H. (2009). Distilling Free-Form Natural Laws from Experimental Data. *Science* 324, 81-85. [doi:10.1126/science.1165893](https://doi.org/10.1126/science.1165893)
- Schrödinger, E. (1926). Quantisierung als Eigenwertproblem. *Annalen der Physik* 384, 361-376. [doi:10.1002/andp.19263840404](https://doi.org/10.1002/andp.19263840404)
- Shannon, C. E. (1948). A Mathematical Theory of Communication. *Bell System Technical Journal* 27, 379-423. [doi:10.1002/j.1538-7305.1948.tb01338.x](https://doi.org/10.1002/j.1538-7305.1948.tb01338.x)
- Shechtman, D. et al. (1984). Metallic Phase with Long-Range Orientational Order and No Translational Symmetry. *Physical Review Letters* 53, 1951-1953. [doi:10.1103/PhysRevLett.53.1951](https://doi.org/10.1103/PhysRevLett.53.1951)
- Strogatz, S. H. (2000). From Kuramoto to Crawford: exploring the onset of synchronization in populations of coupled oscillators. *Physica D: Nonlinear Phenomena* 143, 1-20. [doi:10.1016/S0167-2789\(00\)00094-4](https://doi.org/10.1016/S0167-2789(00)00094-4)
- Stumpf, M. P. H. & Porter, M. A. (2012). Critical Truths About Power Laws. *Science* 335, 665-666. [doi:10.1126/science.1216142](https://doi.org/10.1126/science.1216142)
- Sugihara, G. & May, R. M. (1990). Nonlinear forecasting as a way of distinguishing chaos from measurement error in time series. *Nature* 344, 734-741. [doi:10.1038/344734a0](https://doi.org/10.1038/344734a0)
- Tegmark, M. (1997). On the dimensionality of spacetime. *Classical and Quantum Gravity* 14, L69-L75. [doi:10.1088/0264-9381/14/4/002](https://doi.org/10.1088/0264-9381/14/4/002)
- Tegmark, M. (1998). Is "the Theory of Everything" Merely the Ultimate Ensemble Theory? *Annals of Physics* 270, 1-51. [doi:10.1006/aphy.1998.5855](https://doi.org/10.1006/aphy.1998.5855)
- Tegmark, M. (2008). The Mathematical Universe. *Foundations of Physics* 38, 101-150. [doi:10.1007/s10701-007-9186-9](https://doi.org/10.1007/s10701-007-9186-9)
- The Event Horizon Telescope Collaboration et al. (2019). First M87 Event Horizon Telescope Results. I. The Shadow of the Supermassive Black Hole. *The Astrophysical Journal Letters* 875, L1. [doi:10.3847/2041-8213/ab0ec7](https://doi.org/10.3847/2041-8213/ab0ec7)
- Thouless, D. J. et al. (1982). Quantized Hall Conductance in a Two-Dimensional Periodic Potential. *Physical Review Letters* 49, 405-408. [doi:10.1103/PhysRevLett.49.405](https://doi.org/10.1103/PhysRevLett.49.405)
- Turing, A. M. (1937). On Computable Numbers, with an Application to the Entscheidungsproblem. *Proceedings of the London Mathematical Society* s2-42, 230-265. [doi:10.1112/plms/s2-42.1.230](https://doi.org/10.1112/plms/s2-42.1.230)
- Turing, A. M. (1952). The chemical basis of morphogenesis. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 237, 37-72. [doi:10.1098/rstb.1952.0012](https://doi.org/10.1098/rstb.1952.0012)
- Udrescu, S. M. & Tegmark, M. (2020). AI Feynman: A physics-inspired method for symbolic regression. *Science Advances* 6, eaay2631. [doi:10.1126/sciadv.aay2631](https://doi.org/10.1126/sciadv.aay2631)
- Velupillai, K. V. (2005). The unreasonable ineffectiveness of mathematics in economics. *Cambridge Journal of Economics* 29, 849-872. [doi:10.1093/cje/bei084](https://doi.org/10.1093/cje/bei084)
- Vogel, H. (1979). A better way to construct the sunflower head. *Mathematical Biosciences* 44, 179-189. [doi:10.1016/0025-5564\(79\)90080-4](https://doi.org/10.1016/0025-5564(79)90080-4)
- Watts, D. J. & Strogatz, S. H. (1998). Collective dynamics of 'small-world' networks. *Nature* 393, 440-442. [doi:10.1038/30918](https://doi.org/10.1038/30918)
- Weinberg, S. (1987). Anthropic Bound on the Cosmological Constant. *Physical Review Letters* 59, 2607-2610. [doi:10.1103/PhysRevLett.59.2607](https://doi.org/10.1103/PhysRevLett.59.2607)
- West, G. B. et al. (1997). A General Model for the Origin of Allometric Scaling Laws in Biology. *Science* 276, 122-126. [doi:10.1126/science.276.5309.122](https://doi.org/10.1126/science.276.5309.122)
- White, C. R. & Seymour, R. S. (2003). Mammalian basal metabolic rate is proportional to body mass^{2/3}. *Proceedings of the National Academy of Sciences* 100, 4046-4049. [doi:10.1073/pnas.0436428100](https://doi.org/10.1073/pnas.0436428100)

- Wigner, E. P. (1960). The unreasonable effectiveness of mathematics in the natural sciences. Richard courant lecture in mathematical sciences delivered at New York University, May 11, 1959. *Communications on Pure and Applied Mathematics* 13, 1-14. [doi:10.1002/cpa.3160130102](https://doi.org/10.1002/cpa.3160130102)
- Wilson, K. G. (1971). Renormalization Group and Critical Phenomena. I. Renormalization Group and the Kadanoff Scaling Picture. *Physical Review B* 4, 3174-3183. [doi:10.1103/PhysRevB.4.3174](https://doi.org/10.1103/PhysRevB.4.3174)
- Wolfram, S. (1983). Statistical mechanics of cellular automata. *Reviews of Modern Physics* 55, 601-644. [doi:10.1103/RevModPhys.55.601](https://doi.org/10.1103/RevModPhys.55.601)
- Worrall, J. (1989). Structural Realism: The Best of Both Worlds? *Dialectica* 43, 99-124. [doi:10.1111/j.1746-8361.1989.tb00933.x](https://doi.org/10.1111/j.1746-8361.1989.tb00933.x)